# WOODPECKER NATURALLY INSPIRED FLOORING

Leaving a Legacy...

...one floor at a time.

2025 | 2026

Wood flooring is a timeless and versatile choice for your home, its natural charm, warmth, and character creates welcoming ambience that complements any interior style.

High-quality wood floors last a lifetime making them a costeffective long-term investment. The National Wood Flooring Association found that:

- 99% of real estate agents believed homes with hardwood floors are easier to sell
- 82% believed they sell faster
- 90% said that they would sell for up to 10% more money

They are also easy to maintain, just needing regular sweeping and occasional mopping to keep them looking pristine. Unlike carpets, wood flooring doesn't trap dust, allergens, or pet dander, making it a healthier choice in the home. Wood is a comfortable choice for your feet too – cool in the summer, warm in the winter and reassuringly firm under foot.

Last but most definitely not least, responsibly sourced wooden flooring is also a sound environmental choice - wood is a renewable resource, and sustainable harvesting practices ensure minimal impact on our natural world.

Why wood? For style, comfort, resilience and green credentials, nothing beats it.



# HELPING YOU FIND YOUR PERFECT FLOOR

Whether it's a traditional solid plank, a resilient engineered floor or durable and waterproof wood-design boards, we'll make it easy to find the right choice for your room.



























#### Contents

WHY WOODPECKER
6 THE WOODPECKER STORY
8 100 YEAR WARRANTY
10 COMMITMENT TO SUSTAINABILITY
12 RANGES & GRADING
14 PROCESSES
16 FINISHES

SOLID WOOD FLOORING 20 YORK

ENGINEERED FLOORING

28 STONEHAVEN

38 HARLECH

50 GOODRICH

68 HIGHCLERE

74 DARTMOUTH

86 ORKNEY

94 CHEPSTOW

106 BERKELEY

116 BOURTON

120 DESIGN PANELS

WOOD-DESIGN FLOORING
134 WEYMOUTH
150 WARWICK

156 A GUIDE TO YOUR NEXT STEPS

ACCESSORIES

158 SUBFLOOR

160 GLUE & UNDERLAYS

162 TRIMS

168 FINISHING TOUCHES

170 CLEANING & CARE

TECHNICAL

175 PREPARATION

176 FIXING

178 RANGE AT A GLANCE

# FOR 100 YEARS GONE, AND FOR 100 YEARS TO COME

#### THE WOODPECKER STORY

The Woodpecker story began in 1973 in a small garage in Bristol. Started by Bruce Ker, the passion for wood and commitment to deliver the absolute best has been handed down through 3 generations to his son Nelson, and grandson Darwyn today.







#### YOU CAN WATCH THE WOODPECKER STORY VIDEO HERE:

woodpeckerflooring.co.uk/the-woodpecker-story/





GII-32250



#### THE STORY OF OUR FLOORS

It begins long before this. Every Woodpecker floor started its life over 100 years ago, and tells its own story that will stand the test of time in your home.





#### FOR 100 YEARS

Our promise to you is that your Woodpecker floor will continue its story, bringing life and warmth to your home guaranteed for 100 years to come.



#### LEAVING A LEGACY...

Planting the Woodpecker forest of tomorrow and becoming carbon negative by 2030 - this is our commitment to building a better future that generations to come will be proud of.

From 100 years past and for 100 years to come, Woodpecker is with you every step of the way on your journey to find the perfect floor.

...from our family to yours for 100 years.







Peace of mind for generations to come.

We are proud to bring you a unique Woodpecker 100 year warranty.

A deep passion and knowledge of wood means you can be confident that our wooden floors endure more than a lifetime, increasing in depth and character over time as their story becomes a part of your home.

Carefully grown, selected and crafted by experts, every plank is a reflection of our commitment to you and your home.

Our promise to you – beautiful floors and peace of mind, for 100 years.

Please note that our Weymouth & Warwick floors continue to offer a market leading 25 year warranty.

For T&Cs, please visit: woodpeckerflooring.co.uk/100-year-warranty/





WOODPECKER PROMISE

# SERIOUS ABOUT SUSTAINABILITY

Leaving a legacy, for generations to come.

As a company with a rich past, benefiting every day from the commitments our ancestors made, nothing is more important to us than the legacy we leave for future generations.



All our wood is sourced from responsibly managed, sustainable forests and is fully certified to the highest standards. Look out for our FSC®-certified products.



We have committed to
Woodpecker being the first
carbon negative flooring company,
fully compliant by 2030.



We are creating the Woodpecker forest of tomorrow, planting 50,000 oak saplings around our home in South Wales.



Our packaging is made of recycled board and is fully recyclable.



We are delivering on pledges to reduce non-renewable energy use and improve team wellbeing.

We are the ancestors of tomorrow; our legacy matters.

CHOOSE WHAT'S PERFECT FOR YOU AND YOUR HOME

# FLOORING RANGES AND GRADING

Sometimes it's hard to see the wood from the trees – let us help you narrow it down.

#### SOLID

Solid, traditional structure

Each board is precision milled from a single piece of timber

Robust and characterful



#### ENGINEERED

Advanced construction for extra stability and versatility

Engineered core with a beautiful real wood top layer

Suitable for underfloor heating

#### WOOD-DESIGN

Waterproof and incredibly stable

Mineral composite core plus built-in underlay

Wood grain effect LiveTouch™ embossed vinyl top layer



## UNDERSTANDING GRADING

Clean | Character



01

#### **PRIME**

There is very little colour variation and only few pinhead knots are present.

Crafted from the most soughtafter wood at the centre of the tree, each plank features minimal rustic details.

Prime boards can be found in the Bourton range, page 117.

02

#### SELECT

This grade looks natural yet consistent, with few knots.

Up to 10% sapwood can be found in select boards along with considerable grain and colour variation, but only small knots.

Select boards can be found in York, page 24.

03

#### RUSTIC

More of the wood's character shines through in rustic floors.

Including large knots, dark streaks, filled knots and colour variation. Again, up to 10% sapwood is likely in this grade.

Harlech Rustic Oak is an example of a beautiful rustic grade, page 47.

04

#### **EXTRA RUSTIC**

Very little is graded out in the extra rustic category.

Large knots, splits, cracks and sapwood makes this a characterful choice. Your floor will be all that more distinctive.

Berkeley Cathedral Oak truly encompasses all of the features of an extra rustic floor, page 109.



#### WHAT THE EXPERTS SAY

#### COLOUR VARIATION

All Woodpecker floors feature beautiful colour variations which naturally occur in real wood. Due to this authentic effect, please be aware that your floor may include a range of lighter and darker shades, as shown in this picture. More intense colour variations may also be found where sapwood is present in the wood. Sapwood is the younger, outer part of the tree, which is lighter in colour than the retired, inner part called heartwood.







### WOODPECKER

L E G A C Y

#### **HANDSCRAPED**

Handscraping creates a rippled look on the surface of the board, an aged look which is smooth to the touch.

#### DISTRESSED

Small indents and imperfections in the surface of the board create a charming and timeworn appeal. Perfectly imperfect.

#### PLANING

Planing adds a slightly rough texture which is subtle but stunning.

#### SAW MARKS

Evoking the feel of freshly sawn timber.

#### HANDWORKED EDGES

These irregular contours create an antique effect. Each bevel is worked by hand to make it unique.

#### CHATTER MARKS

Unique and understated. These small saw marks add a rustic touch.

#### SCORCHED

Flamed by hand to add blackened depth.



## FINISHES

Real wood brought to life



#### OILED

## Oil brings wood to life

Five to seven coats of oil are cured to create a harder finish that beautifully allows the character of the wood to sing, whilst being easy to maintain.

See Harlech Rustic Oiled Oak, page 47.

#### HARDWAX OIL

#### An authentic feel

Two to three coats of oil painstakingly applied by hand and air dried, creating a board that feels natural to touch. As the natural oils are absorbed over time, reapplication of a protective oil is recommended.

See our Design Panels, page 120.





#### UNFINISHED

#### Natural and authentic

These boards are supplied with pre-filled knots and are pre-sanded too, ready to add your desired finish.


See Chepstow Rustic Oak Unfinished, page 97.

#### MATT LACQUERED

#### Smooth and hard wearing

A hard-wearing layer of matt lacquer creates a dull satin sheen. Lacquer creates a protective layer on the wood instead of being absorbed.





TIMELESS QUALITY

# SOLID WOOD FLOORING

For a naturally beautiful floor that will last a lifetime.

Nothing beats solid wood for a timeless natural texture and a robust feel beneath your feet. For a solid, traditional structure, each board is precision milled from a single piece of timber that has been carefully chosen and graded, then machined with tongue and groove on all edges, to ensure a perfect fit when installed.

Our solid wood boards are carefully selected and harvested from responsibly managed forests in Europe and the Americas. From a traditional rustic oiled finish to a striking hand-scraped statement board, our solid wood range offers choices to complement both contemporary and traditional interior design.



#### SELECTING THE BEST

The wood's natural texture is enhanced through a range of different finishes, each of which brings out a beautiful element of its character - distinctive grain patterns, mellow hues and rustic textures.



All of our solid wood floors are responsibly sourced with FSC® certification.



PEACE OF MIND FOR GENERATIONS TO COME







SOLID WOOD FLOORING

# YORK

Timeless, Robust and Characterful

A premium solid wood board in a range of elegant finishes



#### YORK | RUSTIC OAK

Rustic   Oiled	36-YRO-150
150mm x Random Lengths   1.71m²/pack	£90m² inc VAT
Rustic   Lacquered	36-YOR-150
150mm x Random Lengths   1.71m²/pack	£90m² inc VAT

A traditional floor with rich honey hues and a medley of plank lengths with elegant knots, dark streaks and filled cracks.





36-YWW-150 Rustic | Brushed & Matt Lacquered 150mm x Random Lengths | 1.71m²/pack £95m2 inc VAT

These whitewashed boards evoke the sandy tones and airy feel of the seaside. Bright flaxen hues meet striking knots and a subtly textured surface.



#### YORK | TAWNY OAK

36-YTO-150 Rustic | Brushed & Matt Lacquered 150mm x Random Lengths | 1.98m²/pack £95m2 inc VAT

Presenting subtle brushed out grain textures accentuated with rich burnt coffee tones, this elegant floor enhances the natural light and beauty of any room setting.

JOINT TYPE













HEATING





18mm




**EDGES** 



## WOODPECKER

L E G A C Y



# What is Select? Find our more on page 13.

#### YORK | SELECT OAK

36-YBM-150 Select | Brushed & Matt Lacquered £125m² inc VAT 150mm x Random Lengths | 1.98m²/pack

Celebrating the beauty found in timber's more refined details, the wood for these boards is handpicked to ensure only small knots are included for a consistent look across the floor.

JOINT TYPE





FITTING METHOD









THICKNESS

18mm



WARRANTY



#### YORK | ANTIQUE OAK

Rustic | Lacquered 36-YOA-150

150mm x Random Lengths | 1.71m²/pack £110m² inc VAT

Full of character, with a painstakingly hand-scraped surface. Copper hues flow throughout the oak's rich chocolate colours, enhanced with subtle shade variations for a truly antiqued effect.

See what you like?
Order your favourite three FREE samples from
WOODPECKERFLOORING.CO.UK



THE BEAUTY OF REAL WOOD

# ENGINEERED WOOD FLOORING

## For added versatility and practicality

With a plywood core, this advanced construction adds stability and balance to every board, minimising expansion, contraction and warping.

Offering you the classic good looks of solid wood as well as outstanding versatility, engineered wood flooring is a perfect and practical solution for today's homes.


#### SELECTING THE BEST

Our engineered wood floors stand out due to their impeccable craftsmanship, marrying aesthetic elegance with exceptional durability. Their sustainable sourcing and innovative construction ensure long-lasting beauty, making them a timeless and eco-friendly investment for any space.



All our wood is sourced from responsibly managed, sustainable forests and is fully certified to the highest standards.











ENGINEERED WOOD FLOORING

# STONEHAVEN

Subtle Natural Shades

Bringing a calm organic harmony to any space








Rustic | UV Oiled 74-STR-190 190×1900mm | 2.166m<sup>2</sup>/pack £69m² inc VAT

Delicate silver-grey tones highlight the natural beauty of these boards, offering a refined yet relaxed aesthetic. Subtle shading enhances the grain's character, bringing a sense of organic harmony to any interior.



#### STONEHAVEN | WISP OAK

Rustic | UV Oiled 74-SWI-190 190x1900mm | 2.166m²/pack £69m2 inc VAT

Inspired by summer's abundance of honey and wheat, this board creates a comforting and welcoming atmosphere, imbued with sunshine, warmth and hints of gold.

JOINT TYPE



Tongue & Groove













LENGTH









WEAR LAYER

Bevelled

EDGES



HEATING











Rustic | UV Oiled 74-SRU-190 190×1900mm | 2.166m<sup>2</sup>/pack £65m2 inc VAT

Soft golden tones flow through the natural grain of this oak floor, creating a warm and inviting foundation. Its gentle hues bring balance and understated elegance to your room.



STONEHAVEN | STREAM OAK

Rustic | UV Oiled 74-SST-190 190×1900mm | 2.166m<sup>2</sup>/pack £73m<sup>2</sup> inc VAT

Soft coastal-inspired tones blend perfectly in this oak floor, reflecting natural shades that radiate calmness, transforming any room into a tranquil retreat filled with understated charm.

JOINT TYPE





















WEAR LAYER

Bevelled



HEATING





Rustic | UV Oiled 74-SAM-190 190×1900mm | 2.166m<sup>2</sup>/pack £75m2 inc VAT

Golden caramel hues and gentle tonal shifts define this beautifully crafted oak floor. Its warm palette creates a welcoming ambience, balancing rustic character with a sense of calm organic harmony.



#### STONEHAVEN | BROOK OAK

Rustic | UV Oiled 74-SBR-190 190x1900mm | 2.166m<sup>2</sup>/pack £79m2 inc VAT

Gentle shading and rich sherry tones create a floor full of warmth and depth, enhancing its natural beauty with an effortless elegance that transcends trends.

JOINT TYPE















HEATING











Tongue & Groove

FITTING METHOD








ENGINEERED WOOD FLOORING

# HARLECH

Classic Oak Tones

The timeless elegance of oak across a spectrum of striking finishes



### HARLECH | WHITE OILED OAK

Rustic | Oiled 35-HWO-189 190x1900mm | 2.166m²/pack £89m² inc VAT

This captivating white oak floor inspires a calm and relaxed feel in the home. The light shade brings a lovely sense of space to a room, reflecting light and defining furniture.

Available in Goodrich herringbone - see page 52.



### HARLECH | ECRU OAK

35-HOE-001 Rustic | Brushed & Matt Lacquered 190x1900mm | 2.166m<sup>2</sup>/pack £87m<sup>2</sup> inc VAT

This pale floor is the perfect complement to modern interiors. Boards have an unfinished look and brushed texture for a beautifully natural feel.

Also available as a Goodrich herringbone parquet - see page 52.

JOINT TYPE









FITTING METHOD





LENGTH









WEAR LAYER





| Secret Nail | Floated

cut lengths

Underfloor | Tog Rating if fully stuck down









 Rustic
 Brushed & Matt Lacquered
 35-HFF-002

 190x1900mm
 2.166m²/pack
 £89m² inc VAT

Calm white grains meet soft grey tones, creating a wonderfully clean and contemporary look, the subtle colour variations are further enhanced by smoking.

Available in Goodrich herringbone, Goodrich chevron and Highclere herringbone - see pages 53, 61 and 70.



### HARLECH | WHITE SMOKED OAK

Rustic   Brushed & Matt Lacquered 190x1900mm   2.166m²/pack	35-HSW-001 £89m² inc VAT
Rustic   Brushed & Matt Lacquered 240x2200mm   2.11m²/pack	35-HWS-240 £103m² inc VAT

A beautiful fresh whitened oak floor which has been smoked to enhance its ashen undertones. This modern 190mm board is also available in a premium 240mm width.

Available in Goodrich herringbone - see page 53.

JOINT TYPE









FITTING METHOD





cut lengths









WEAR LAYER

EDGES


All 4 Edges



HEATING







Rustic   Brushed & Matt Lacquered	35-HRA-001
190×1900mm   2.166m²/pack	£87m² inc VAT
Rustic   Brushed & Matt Lacquered	35-HRA-240
240×2200mm   2.11m <sup>2</sup> /pack	£101m <sup>2</sup> inc VAT

The perfect combination of pale, pared-back and rustic details, showcasing the wood's natural character in a subtle shade that feels fresh from the forest.

Available in Goodrich herringbone and Goodrich chevron - see pages 54 and 60.

JOINT TYPE













LENGTH



HEATING



THICKNESS



WEAR LAYER

EDGES



Glued | Secret Nail | Floated




### HARLECH | RUSTIC OAK

Rustic   Oiled	35-HOC-148
150x1900mm   1.71m²/pack	£75m² inc VAT
Rustic   Oiled	35-HRO-001
190×1900mm   2.166m²/pack	£85m² inc VAT
Rustic   Oiled	35-HOR-240
240×2200mm   2.11m²/pack	£99m² inc VAT
Rustic   Brushed & Matt Lacquered	35-HOB-001
150x1900mm   1.71m²/pack	£75m² inc VAT
Rustic   Brushed & Matt Lacquered	35-HBL-001
190×1900mm   2.166m²/pack	£85m² inc VAT
Rustic   Brushed & Matt Lacquered	35-HRO-240
240×2200mm   2.11m²/pack	£99m² inc VAT

Rooted in nature with rich golden tones and intriguing details which bring a warming, traditional feel to a room. Choose a classic 150mm board, or upgrade to our wider 190mm or premium 240mm width.

Available in both Goodrich and Highclere herringbone - see pages 54 and 71.






35-HSO-001 Rustic | Brushed & Matt Lacquered 190×1900mm | 2.166m<sup>2</sup>/pack £89m2 inc VAT

This multi-tonal floor is alive with the natural character and warming colours of oak. The smoking process has enhanced every highlight and shadow in these vibrant boards.

Available in Goodrich herringbone - page 57.



### HARLECH | COFFEE OAK

35-HCO-001 Rustic | Brushed & Matt Lacquered 190x1900mm | 2.166m<sup>2</sup>/pack £89m2 inc VAT

Rich and sophisticated in colour with an array of dark tones and lovely texture, this floor is the perfect choice for a traditionally styled home.

Available in both Goodrich herringbone and Highclere herringbone - see pages 58 and 72.

JOINT TYPE















LENGTH





HEATING





THICKNESS



WEAR LAYER



**EDGES** 



Tongue & Groove

| Secret Nail | Floated

FITTING METHOD

cut lengths

Underfloor | Tog Rating if fully stuck down





 Rustic | Brushed & Matt Lacquered
 35-HGO-002

 190x1900mm | 2.166m²/pack
 £89m² inc VAT

Rich wheaten tones and gentle sweeps of molasses bring this floor to life, imbuing it with character and elegance, working well in both classic and modern design schemes.

Also available in both Goodrich and Highclere herringbone - see pages 57 and 72.



HARLECH | ESPRESSO OAK

 Rustic
 Brushed & Matt Lacquered
 35-HEO-001

 190x1900mm
 2.166m²/pack
 £89m² inc VAT

Sophisticated, radiant and distinct, this is a floor with real depth, its sumptuous shades accentuated by the smoking process and wonderfully textured feel.

Available in Goodrich herringbone - see page 58.





ENGINEERED WOOD FLOORING

## GOODRICH

Stylish Herringbone

A striking design classic, effortlessly contemporary whilst evoking a golden age



### GOODRICH | WHITE OILED OAK

32-GWH-090 Rustic | Oiled 90x400mm | 1.296m²/per pack £103m2 inc VAT

This captivating white oak floor inspires a calm, open feel in the home. Its light shade enhances the sense of space, reflecting light and defining furniture.

Also available as a Harlech plank - see page 40.



### GOODRICH | ECRU OAK

32-GEO-001 Rustic | Brushed & Matt Lacquered 90x400mm | 1.296m²/pack £101m<sup>2</sup> inc VAT

These pale parquet boards have an unfinished look, are smoked to enhance the colour variation and have a brushed texture for a beautifully natural feel.

Also available as a Harlech plank - see page 40.

JOINT TYPE











FITTING METHOD





if fully stuck down

HEATING







THICKNESS





EDGES







 Rustic
 Brushed & Matt Lacquered
 32-OGW-001

 90x400mm
 1.296m²/pack
 £103m² inc VAT

Calm white grains meet soft grey tones, creating a wonderfully clean and contemporary look. The subtle colour variations are further enhanced by smoking.

Also available as Harlech plank, Goodrich chevron and Highclere wide herringbone - see pages 43, 61 and 70.



### GOODRICH | WHITE SMOKED OAK

Rustic   Brushed & Matt Lacquered	32-GWS-001
90x400mm   1.296m <sup>2</sup> /pack	£103m² inc VAT

A beautiful fresh whitened oak floor which has been smoked to enhance its ashen undertones. This popular board has been reinvented as an elegant herringbone design.

Also available as a Harlech plank - see page 43.



### GOODRICH | RAW OAK

32-GRO-001 Rustic | Brushed & Matt Lacquered 90x400mm | 1.296m²/pack £101m<sup>2</sup> inc VAT

This perfect combination of pale, pared-back and rustic details, showcasing the wood's natural character in a subtle shade that feels fresh from the forest, with a contemporary herringbone twist.

Also available in both Harlech plank and Goodrich chevron see pages 46 and 60.



### GOODRICH | NATURAL OAK

Rustic | Brushed & Matt Lacquered 32-GNA-001 90x400mm | 1.296m<sup>2</sup>/pack £98m<sup>2</sup> inc VAT

This natural oak flooring captures timeless elegance and traditional artistry in the home with rich honey tones and striking details. A long-standing favourite due to its classic charm.

Also available as a Harlech plank and Highclere wide herringbone - see pages 47 and 71.

JOINT TYPE







FITTING METHOD











HEATING





THICKNESS



WEAR LAYER





Underfloor | Tog Rating if fully stuck down









32-GFO-001 Rustic | Brushed & Matt Lacquered 90x400mm | 1.296m²/pack £103m2 inc VAT

This multi-tonal floor is alive with the natural character and warming colours of oak. The smoking process has enhanced every highlight and shadow in these vibrant boards.

Also available as a Harlech plank - see page 48.



### GOODRICH | BISCOTTI OAK

32-GGO-001 Rustic | Brushed & Matt Lacquered 90x400mm | 1.296m²/pack £103m2 inc VAT

Rich wheaten tones and gentle sweeps of molasses bring this floor to life, imbuing it with character and elegance, working well in both classic and modern design schemes.

Also available as a Harlech plank and Highclere wide herringbone - see pages 49 and 72.

JOINT TYPE











FITTING METHOD





HEATING







THICKNESS



WEAR LAYER

Bevelled

EDGES







32-GCW-001 Rustic | Brushed & Matt Lacquered 90x400mm | 1.296m²/pack £103m<sup>2</sup> inc VAT

Sophisticated, radiant and distinct, this is a parquet floor with real depth, its sumptuous shades accentuated by the smoking process, and wonderfully textured feel.

Also available as a Harlech plank - see page 49.



### GOODRICH | COFFEE OAK

Rustic | Brushed & Matt Lacquered 32-GCO-001 90x400mm | 1.296m²/pack £103m2 inc VAT

Rich and sophisticated in colour with an array of dark tones and lovely texture, this floor is the perfect choice for a traditionally styled home.

Also available as a Harlech plank and Highclere wide herringbone - see pages 48 and 72.

JOINT TYPE







FITTING METHOD









if fully stuck down

HEATING





THICKNESS



WEAR LAYER





58



### WOODPECKER

L E G A C Y



### GOODRICH | RAW OAK CHEVRON

Rustic | Brushed & Matt Lacquered 90x400mm | 1.296m<sup>2</sup>/pack

32-GRC-001 £133m<sup>2</sup> inc VAT

A striking chevron version of this perfect combination of pale, pared-back and rustic details, showcasing the wood's natural character in a subtle shade that feels fresh from the forest.

JOINT TYPE



FITTING METHOD









HEATING











Bevelled

EDGES

WARRANTY



### GOODRICH | FEATHER OAK CHEVRON

Rustic | Brushed & Matt Lacquered 90x400mm | 1.296m²/pack

32-CGR-001 £133m² inc VAT

A beautiful chevron design - calm white grains meet soft grey tones, creating a wonderfully clean and contemporary look, the subtle colour variations further enhanced by smoking.

Also available as a Harlech plank and Goodrich and Highclere herringbone - see pages 43, 53 and 70.

See what you like?
Order your favourite three FREE samples from
WOODPECKERFLOORING.CO.UK

### WOODPECKER

L E G A C Y





#### GOODRICH | SALTED OAK

Rustic | Brushed & Matt Lacquered 32-SGR-001 90x400mm | 1.296m²/pack £129m2 inc VAT

Parquet flooring gets a texture rush in this stylish and characterful floor. These blocks bear distinctive saw marks for a striking rustic effect, whilst being wonderfully contemporary in colour.

#### GOODRICH | CATHEDRAL OAK

32-GOC-001 Extra Rustic | Hardwax Oiled 90x400mm | 1.296m<sup>2</sup>/pack £133m2 inc VAT

Painstakingly distressed by hand, with tumbled edges, rich natural details and worn surface character, with a grey washed shade for a modern rustic look.

JOINT TYPE













WARRANTY



### GOODRICH | SPICED OAK


 Extra Rustic
 Hardwax Oiled
 32-GSO-001

 90x400mm
 1.296m²/pack
 £133m² inc VAT

Evoking the toasted tones of roasted dark brown spices, these boards evoke the footfall and stories of generations gone by, a warm foundation to even the most modern of schemes.

### WOODPECKER


L E G A C Y





Extra Rustic	Hardwax Oiled	32-GMO-001
90x400mm	1.296m²/pack	£133m² inc VAT

A rich, timeworn herringbone with red and auburn undertones which bring warmth and depth to the floor. A striking choice, full of character and charm.



### GOODRICH | CHARRED OAK

Rustic   Hardwax Oiled	32-GCD-001
90×400mm   1.296m²/pack	£133m² inc VAT

Gloriously bold and blackened, capturing the feel of a reclaimed parquet floor with hand distressed blocks featuring stunning colour variations, marks, scuffs, dents and tumbled edges.

JOINT TYPE





FITTING METHOD





HEATING





WEAR LAYER THICKNESS

Bevelled

EDGES

WARRANTY











ENGINEERED WOOD FLOORING

## HIGHCLERE

Striking Large Format Herringbone

Bigger, bolder herringbone planks for an elegant design statement with a twist





32-HFO-001 Rustic | Brushed & Matt Lacquered £108m2 inc VAT 120x600mm | 1.44m<sup>2</sup>/pack

Calm white grains meet soft grey tones, creating a wonderfully clean and contemporary look, the subtle colour variations further enhanced by smoking.

Also available as a Harlech plank, Goodrich herringbone and Goodrich chevron - see pages 43, 53 and 61.



### HIGHCLERE | NATURAL OAK

32-HNO-001 Rustic | Brushed & Matt Lacquered £102m<sup>2</sup> inc VAT 120x600mm | 1.44m<sup>2</sup>/pack

This natural oak flooring captures timeless elegance and traditional artistry with rich honey tones and striking details. A long-standing favourite due to its classic charm.

Also available as a Harlech plank and Goodrich herringbone - see pages 47 and 54.

**IOINT TYPE** 

















4mm 15mm



**EDGES** 



Tongue & Groove

FITTING METHOD

HEATING





### HIGHCLERE | COFFEE OAK

32-HCO-001 Rustic | Brushed & Matt Lacquered 120x600mm | 1.44m²/pack £108m2 inc VAT

Rich and sophisticated in colour with an array of dark tones and lovely texture, this floor is the perfect choice for a traditionally styled home.

Also available as a Harlech plank and Goodrich herringbone - see page 48 and 58.



#### HIGHCLERE | BISCOTTI OAK

Rustic | Brushed & Matt Lacquered 32-HBO-001 120x600mm | 1.44m²/pack £108m2 inc VAT

Rich biscuit tones and gentle sweeps of caramel bring this floor to life, imbuing it with character adn elegance, working well in both classic and modern design schemes.

Also available as a Harlech plank and Goodrich herringbone - see page 49 and 57.

JOINT TYPE















HEATING











4mm

WEAR LAYER

**EDGES** 





## DESIGN STRIPS

For an elegant and seamless transition from one floor to another, or to add a design statement into a parquet pattern, why not use one of our brass or brushed stainless steel inlay strips? See page 168 for more details.





# WOODPECKER FAMILIES

To make it easier for you to create a seamless look between rooms, up stairs or even across your whole home, we have created Woodpecker families.

These include different boards in different formats but with matching colours and finishes, so that you can be confident of a consistent look and feel to effortlessly create the scheme of your dreams.





## DARTMOUTH

Crafted for Character and Depth

Rich undulating textures and striking natural tones for a timeless appeal







L E G A C Y





#### DARTMOUTH | BEATEN OAK

Extra Rustic	UV Oiled	75-DBE-190
190x1900mm	2.166m²/pack	£93m² inc VAT

A perfect blend of raw authenticity and refined craftsmanship, this pale, hand-scraped oak reveals the wood's natural character, evoking the quiet beauty of freshly hewn timber.

#### DARTMOUTH | MARBLED OAK

Extra Rustic   UV Oiled	75-DMA-190
190x1900mm   2.166m²/pack	£95m² inc VAT

A strikingly textured white oak floor, subtly smoked to enhance its ashen undertones. Gentle ripples and hand-worked details lend it an effortlessly timeless appeal.

JOINT TYPE





FITTING METHOD



Packs include cut lengths

LENGTH



HEATING



THICKNESS

EDGES

WARRANTY

Bevelled





L E G A C Y



#### DARTMOUTH | PEWTER OAK

Extra Rustic | UV Oiled 75-DPE-190 190x1900mm | 2.166m<sup>2</sup>/pack £95m2 inc VAT

Soft ashen hues intertwine with the rich texture of hand-scraped oak, creating a floor full of character-elegant, enduring, and perfectly suited to modern living.



#### DARTMOUTH | SMOKED OAK

75-DSM-190 Extra Rustic | UV Oiled 190 x 1900mm | 2.166m<sup>2</sup>/pack £89m2 inc VAT

Carefully hand-scraped and antiqued, this floor reveals deep contrasts, with undulating grain and shadowed knots that tell a story of craftsmanship and history.

THICKNESS

JOINT TYPE



Glued | Secret Nail | Floated

FITTING METHOD





LENGTH



if fully stuck down




HEATING

15mm

**EDGES** 



WARRANTY



#### DARTMOUTH | TRUFFLE OAK

Extra Rustic UV Oiled 75-DTR-190
190x1900mm 2.166m²/pack £113m² inc VAT

The essence of heritage captured in a floor—hand-scraped textures and natural variations meet a gently washed grey tone, blending rustic charm with contemporary refinement.

Also available in Orkney herringbone - see page 92.

Matching herringbone Page 92

L E G A C Y



#### DARTMOUTH | FAUNA OAK

Extra Rustic | UV Oiled 75-DFA-190 190x1900mm | 2.166m<sup>2</sup>/pack £98m<sup>2</sup> inc VAT

Subtle undulating textures and warm, time-softened tones evoke an oak floor steeped in history, offering both rich tradition and striking presence in any interior.



#### DARTMOUTH | GINGERSNAP OAK

75-DGI-190 Extra Rustic | UV Oiled 190 x 1900mm | 2.166m<sup>2</sup>/pack £113m<sup>2</sup> inc VAT

Bronze tonal twists and hand-scraped details create depth in this beautifully distressed oak, enriching the wood's natural patina with a sense of movement and life.

JOINT TYPE



FITTING METHOD







HEATING





Underfloor | Tog Rating if fully stuck down

THICKNESS




15mm



WARRANTY





#### DARTMOUTH | PASSAGE OAK

 Extra Rustic
 UV Oiled
 75-DPA-190

 190x1900mm
 2.166m²/pack
 £95m² inc VAT

Rich cognac tones blend with the oak's natural grain, creating warmth and depth. Soft shading enhances its organic beauty, bringing a quiet elegance that feels timeless and effortlessly inviting.

Also available in Orkney herringbone - see page 93.

Matching herringbone Page 93





## ORKNEY

Herringbone Crafted for Character and Depth

Classic herringbones with rich textures and harmonious natural tones

L E G A C Y



#### ORKNEY | MARBLED OAK

Extra Rustic   UV Oiled	76-OMA-090
90×400mm   1.296m²/pack	£109m² inc VAT

A strikingly textured white oak floor, subtly smoked to enhance its ashen undertones. Gentle ripples and hand-worked details lend it an effortlessly timeless appeal.



#### ORKNEY | PEWTER OAK

Extra Rustic   UV Oiled	76-OPE-090
90x400mm   1.296m²/pack	£109m² inc VAT

Soft ashen hues intertwine with the rich texture of hand-scraped oak, creating a floor full of character-elegant, enduring, and perfectly suited to modern living.

WEAR LAYER

JOINT TYPE















THICKNESS



WARRANTY

Glued | Secret Nail | Floated







L E G A C Y





#### ORKNEY | SMOKED OAK

Extra Rustic | UV Oiled 76-OSM-090 £107m<sup>2</sup> inc VAT 90x400mm | 1.296m²/pack

Carefully hand-scraped and antiqued, this floor reveals deep contrasts, with undulating grain and shadowed knots that tell a story of craftsmanship and history.

#### ORKNEY | TRUFFLE OAK

Extra Rustic | UV Oiled 76-OTR-090 £130m2 inc VAT 90x400mm | 1.296m²/pack

The essence of heritage captured in a floor-hand-scraped textures and natural variations meet a gently washed grey tone, blending rustic charm with contemporary refinement.

JOINT TYPE



Glued | Secret Nail | Floated

FITTING METHOD







HEATING





THICKNESS



15mm





EDGES

WARRANTY

92

#### L E G A C Y





#### ORKNEY | FAUNA OAK

Extra Rustic	UV Oiled	76-OFA-090
90x400mm	1.296m²/pack	£112m <sup>2</sup> inc VAT

Subtle undulating textures and warm, time-softened tones evoke an oak floor steeped in history, offering both rich tradition and striking presence in any interior.

Also available in Dartmouth plank - see page 84.

#### ORKNEY | PASSAGE OAK

Extra Rustic   UV Oiled	76-OPA-090
90x400mm   1.296m²/pack	£109m² inc VAT

Rich cognac tones blend with the oak's natural grain, creating warmth and depth. Soft shading enhances its organic beauty, bringing a quiet elegance that feels timeless and effortlessly inviting.

Also available in Orkney herringbone - see page 85





## CHEPSTOW

Rugged, Distinguished and Beautiful

Majestic, thick, traditionally finished boards

# RUGGED, DISTINCTIVE AND BEAUTIFUL



Chepstow boards are put through a number of unique process, giving them their distinctive, rugged look.

#### HANDWORKING

Each plank is distinct and unique, as the processes are applied by hand, complementing the natural features of the wood.

Chepstow boards are already renowned for being both distinguished and beautiful.

With enhanced textural finishes to add character and depth, the Chepstow range is the perfect foundation to design schemes both traditional and modern, bringing life and interest to a room.


#### **PLANING**

Planing adds a slightly rough texture which is subtle but stunning.

#### DISTRESSED

Small indents and imperfections in the surface of the board create a charming and timeworn appeal. Perfectly imperfect.





Rustic   Unfinished 190x1900mm   2.166m²/pack	65-HMU-001 £115m² inc VAT
Rustic   Lacquered	65-HML-001
190×1900mm   2.166m²/pack	£117m² inc VAT
Rustic   Brushed & Oiled	65-HBO-001
190x1900mm   2.166m²/pack	£117m² inc VAT
Rustic   Brushed & Oiled	65-HBO-002
240x2200mm 2.11m <sup>2</sup> /pack	£131m² inc VAT

The classic look of rustic oak merging natural style with timeless appeal in its flowing grain patterns, slowly grown knots and array of caramel shades, in a classic 189mm or premium 240mm width.

JOINT TYPE









FITTING METHOD









HEATING





6mm

WEAR LAYER

EDGES

Bevelled



Tongue & Groove  $\mathsf{Glued} \ | \ \mathsf{Secret} \ \mathsf{Nail} \ | \ \mathsf{Floated}$ 


if fully stuck down







L E G A C Y





#### CHEPSTOW | FLAXEN OAK

Rustic | Hardwax Oiled 65-RAW-001 £134m<sup>2</sup> inc VAT 190×1900mm | 2.166m<sup>2</sup>/pack

Allowing the wood's natural character to shine through, this footworn yet untarnished board presents a subtle shade that will perfectly enhance any room.

Rustic | Hardwax Oiled 65-RFO-001 £134m² inc VAT 190x1900mm | 2.166m<sup>2</sup>/pack

Soft grey tones, inspired by mist cascading across rockfaces, are offset by cool tonal variations, adding personality and vitality to these beautiful boards.

WEAR LAYER

JOINT TYPE











FITTING METHOD





LENGTH









Underfloor | Tog Rating if fully stuck down

HEATING

21mm

THICKNESS

EDGES

L E G A C Y





65-RWS-001 Rustic | Hardwax Oiled 190×1900mm | 2.166m<sup>2</sup>/pack £134m² inc VAT

With ashen undertones and a fresh contemporary wash, this board evokes the light and shadows that play across woodlands, dappling the dew-dressed ground.



#### CHEPSTOW | WASHED OAK

Rustic   Hardwax Oiled	65-RWA-001
190x1900mm   2.166m²/pack	£134m² inc VAT
Rustic   Hardwax Oiled	65-RWA-002
240x2200mm   2.11m²/pack	£148m² inc VAT

Full of whirling natural details, the subtle pale wash on this oak floor brings out the delicate grey hues and golden undertones.

JOINT TYPE









FITTING METHOD





LENGTH



HEATING

THICKNESS



WEAR LAYER

**EDGES** 



Secret Nail | Floated





#### CHEPSTOW | ANTIQUE OAK

Rustic   Hardwax Oiled	65-POA-001
190x1900mm   2.166m²/pack	£134m² inc VAT
Rustic   Oiled	65-POA-002
240x2200mm   2.11m²/pack	£148m² inc VAT

Distinctive deep grain patterns and rich warming tones - a dark stain brings the oak's character to the fore while bevelled edges create beautiful definition.

#### L E G A C Y





#### CHEPSTOW | PLANED GREY OAK

Rustic   Oiled		65-POG-001
189×1860mm	2.11m <sup>2</sup> /pack	£134m² inc VAT

With delicate ashen hues and a beautifully rough surface evoking freshly sawn timber, the rugged beauty of these boards recalls times passed in their every ridge and rise, grain and knot.

#### CHEPSTOW | DISTRESSED CHARCOAL OAK

Rustic   Hardwax Oiled	65-AOC-001
190x1900mm   1.444m²/pack	£144m² inc VAT
Rustic   Hardwax Oiled	65-AOC-002
240x2200mm   2.11m²/pack	£158m² inc VAT

A stunning mix of rich auburn and deep chocolate tones, brought to life by hand with sultry stains and augmenting waxes, enhancing distressed bevelled edges and characterful surface dents.

JOINT TYPE







FITTING METHOD





LENGTH









21mm

WEAR LAYER

EDGES

WARRANTY

HEATING






## BERKELEY

Extraordinary Textures and Finishes

Hand-worked extra rustic boards, layering charm with authenticity


L E G A C Y





Extra Rustic | Brushed & Matt Lacquered 38-BDW-001 189×1860m | 2.11m<sup>2</sup>/pack £150m<sup>2</sup> inc VAT

Featuring chatter marks from the sawmill along the edges, each board is full of rustic, timeworn character and charming effects, with a rich depth of colour enhanced by the classic smoking treatment.



#### BERKELEY | CATHEDRAL OAK

Extra Rustic | Hardwax Oiled 38-BCD-001 189x1860mm | 2.11m<sup>2</sup>/pack £150m2 inc VAT

Beautifully worn with undulations and the feeling of generations of footfall, waves of honey, caramel and cocoa add warmth to these richly textured boards, enhanced by expert handfinishing.

JOINT TYPE







Secret Nail



LENGTH



if fully stuck down

Tog Rating

HEATING

THICKNESS

WEAR LAYER


**EDGES** 

WARRANTY



# WOODPECKER

L E G A C Y





#### BERKELEY | RUGGED OAK

Extra Rustic | Hardwax Oiled 38-BRO-001 £150m<sup>2</sup> inc VAT 189×1860mm | 2.11m<sup>2</sup>/pack

With rich nutty tones and golden highlights, these boards evoke the warm tones of autumn. Hand finished with marks, scuffs and dents, telling the story of antique wood that's wonderfully worn over time.

#### BERKELEY | PRIORY OAK

Extra Rustic | Hardwax Oiled 38-BPO-001 189x1860mm | 2.11m<sup>2</sup>/pack £150m2 inc VAT

Bearing the scorch marks and dark red undertones of historic reclaimed timber, these boards have been handfinished to create the worn feel of historic timber.

JOINT TYPE















THICKNESS



WEAR LAYER

EDGES WARRANTY

FITTING METHOD

LENGTH

Underfloor | Tog Rating if fully stuck down

HEATING









# WOODPECKER

# L E G A C Y





Extra Rustic	Hardwax Oiled	38-BOC-001
189x1860mm	2.11m <sup>2</sup> /pack	£150m² inc VAT

Full of character, these handfinished, scorched boards have deep toasted nut and cocoa hues, with the timeworn feel of hardworking floors aged by generations.



#### BERKELEY | CELLAR OAK

Extra Rustic	Hardwax Oiled		38-BCO-001
189×1860mm	2.11m²/pack	£	150m² inc VAT

Dark, distressed and distinctive with deep ebony undertones and all the character of aged extra rustic oak, reinforced by marks, scuffs and dents that tell the story of reclaimed aged timber.

WEAR LAYER

JOINT TYPE











FITTING METHOD





LENGTH



if fully stuck down

HEATING





THICKNESS

**EDGES** 







ENGINEERED WOOD FLOORING

# BOURTON

Beautifully Refined and Consistently Elegant

Our most sought-after boards, expertly hand-picked to be even in tone and grain



### BOURTON | NATURAL OAK

Prime   UV Oiled 190x1900mm   2.166m²/pack	77-BNA-190 £127m² inc VAT
Prime UV Oiled	77-BNA-240
240×2200mm 2.11m <sup>2</sup> /pack	£141m² inc VAT

Crafted from the most sought-after wood in the very centre of the tree, each plank captures oak's natural golden hues and gentle grain patterns whilst only featuring small rustic details for a more refined look.

Available in classic 190mm or striking 240mm widths.

JOINT TYPE



ongue & | Easil

FITTING METHOD



HEATING





Underfloor | Tog Rating if fully stuck down

THICKNESS



15mm

WEAR LAYER



EDGES

David Sed

WARRANTY

Matching herringbone

Two plank widths





#### BOURTON | NATURAL OAK HERRINGBONE

 Prime
 UV Oiled
 77-BNA-090

 90x400mm
 1.296m²/pack
 £146m² inc VAT

Crafted from the most sought-after wood in the very centre of the tree, each plank captures oak's natural golden hues and gentle grain patterns whilst only featuring small rustic details for a more refined look.

Herringbone boards for a modern take on a classic style.

Matching plank





ENGINEERED WOOD FLOORING

# DESIGN PANELS


Opulent Statement Pieces

Evoking the timeless elegance of the past – a striking décor classic



# WOODPECKER

# L E G A C Y



# INTRODUCING OUR LUXURIOUS RANGE OF DESIGN PANELS.

The effortless elegance of our luxurious design panels belies the painstaking processes involved in creating them individually and by hand. Consisting of multiple sawn blocks and shapes, each panel is measured, prepared and assembled by hand, using traditional tools and techniques to craft a minimasterpiece every time.

Sharp angles, distinctive patterns, shapes and lines all add to the unique character of this traditional flooring style.

Hammering, planing and sanding finishes each panel to perfection, with the different grains and angles bouncing the light in many directions, creating incredible and varying textures and tones.

Please note that because design panels are made to order, a deposit is required and, once confirmed, the order cannot be cancelled.

**JOINT TYPE** 















HEATING



THICKNESS



WEAR LAYER









## SANDRINGHAM

Limed Oak   Hardwax Oiled	44-DCP-001
750x750mm   0.56m²/pack	£250m² inc VAT
Royal Oak   Hardwax Oiled	44-DCP-002
750x750mm   0.56m²/pack	£250m² inc VAT
Aged Oak   Hardwax Oiled	44-DCP-003
750x750mm   0.56m²/pack	£250m² inc VAT







ROYAL OAK



AGED OAK







FITTING METHOD











WEAR LAYER

EDGES

WARRANTY

JOINT TYPE

HEATING



## HIGHGROVE

Limed Oak   Hardwax Oiled	44-DCP-010
750x750mm   0.56m²/pack	£250m² inc VAT
Royal Oak   Hardwax Oiled	44-DCP-011
750x750mm   0.56m²/pack	£250m² inc VAT
Aged Oak   Hardwax Oiled	44-DCP-012
750x750mm   0.56m²/pack	£250m² inc VAT







ROYAL OAK



AGED OAK

JOINT TYPE





FITTING METHOD











THICKNESS

WEAR LAYER

EDGES

WARRANTY

127







NEXT GENERATION BOARDS

# WOOD-DESIGN FLOORING

# For high stability and outstanding performance

Incredibly strong and stable, waterproof and with built-in underlay - there's no better board for modern life.

Featuring Woodpecker Stratex® technology, our wood-design floors are constructed from layers of the highest performance materials, with a mineral composite core and built-in underlay, making them suitable for even the most challenging rooms in the house.

More durable and solid underfoot than laminate, stable, resilient and dent resistant, these deep embossed matt vinyl boards are the ultimate solution for the modern home.

Authentic and looks like the real thing. Our wood-design floors capture the look of real wood while also creating a textured surface that mirrors the natural grain, knots, and imperfections found in real wood.

#### NATURE MEETS TECHNOLOGY

Our wood-design floors excel in both form and function, offering unparalleled versatility and resilience. Their innovative composition combines natural elements with advanced technology, resulting in flooring that effortlessly merges style and durability making our wood-design floors the ideal choice for modern, enduring interiors.





# STRATEX®

Waterproof, Built-in Underlay, Incredibly Stable & Durable



#### WOOD-DESIGN -FOR REAL LIFE

Our unique Stratex® technology has created a superlative board. With its highly realistic, LiveTouch™ embossed top layer, these floors are virtually indistinguishable from real wood. Being waterproof and incredibly stable, it is suitable for the most challenging rooms and environments.











WOOD-DESIGN FLOORING

# WEYMOUTH

Waterproof, Stable, Durable and Lifelike

Premium waterproof boards with a beautiful true-to-nature textured grain





### WEYMOUTH | SEAMIST OAK

LiveTouch™	34-WYO-001
180x1180mm	£55m² inc VAT
LiveTouch™ 228x1180mm   2.15m²/pack	34-WYO-017 £60m² inc VAT

A fresh modern tone, evoking glints of early morning sunshine filtering through drifting mist.

### WEYMOUTH | SEAMIST OAK HERRINGBONE

LiveTouch™	34-WYO-009
120x600mm   1.44m²/pack	£60m² inc VAT

STABILITY

High

Built-in Underlay

UNDERLAY

WEAR RATING



WATERPROOF



INSTALLATION



Score an





### WEYMOUTH | ALASKAN OAK

LiveTouch™ 180x1180mm	34-WYO-003 £55m² inc VAT
LiveTouch™	34-WYO-019
228×1180mm   2.15m <sup>2</sup> /pack	£60m² inc VAT

Inspired by Northern landscapes, combining crisp highlights with subtle natural undetones.



### WEYMOUTH | ALASKAN OAK HERRINGBONE

LiveTouch™	34-WYO-011
120x600mm   1.44m/packk	£60m² inc VAT

JOINT TYPE



FITTING METHOD







HEATING





WARRANTY











LiveTouch™	34-WYO-005
180x1180mm	£55m² inc VAT
LiveTouch <sup>TM</sup> 228x1180mm   2.15m <sup>2</sup> /pack	34-WYO-021 £60m² inc VAT

Like driftwood, worn by the sun, sea and salt, bringing natural tones to the heart of your home.



WEYMOUTH | SHOREWOOD OAK HERRINGBONE

LiveTouch™	34-WYO-013
120x600mm   1.44m²/pack	£60m² inc VAT

STABILITY

High

Built-in Underlay

UNDERLAY

WEAR RATING



WATERPROOF



INSTALLATION



Score and





LiveTouch™	34-WYO-004
180x1180mm	£55m² inc VAT
LiveTouch <sup>TM</sup> 228x1180mm   2.15m²/pack	34-WYO-020 £60m² inc VAT

Deep grey hues and moody accents create a complex and characterful multi-tonal board.



WEYMOUTH ECHO OAK HERRINGBONE

34-WYO-012 LiveTouch™ 120x600mm | 1.44m²/pack £60m² inc VAT

JOINT TYPE





FITTING METHOD















THICKNESS

WARRANTY











LiveTouch™	34-WYO-002
180x1180mm	£55m² inc VAT
LiveTouch <sup>TM</sup> 228x1180mm   2.15m <sup>2</sup> /pack	34-WYO-018 £60m² inc VAT

Warm and comforting, this toasty board feels as homely and welcoming as freshly baked bread.



### WEYMOUTH | ALMOND OAK HERRINGBONE

LiveTouch™	34-WYO-010
120x600mm   1.44m²/pack	£60m² inc VAT

STABILITY

E &

High

UNDERLAY



Built-in Underlay



AC4


WATERPROOF



INSTALLATION



Score an





LiveTouch™	34-WYO-007
180×1180mm	£55m² inc VAT
LiveTouch™ 228x1180mm   2.15m²/pack	34-WYO-023 £60m² inc VAT

Full of personality and classic oak character, with an aged feel offset by hints and swirls of cream.



WEYMOUTH | MALTED OAK HERRINGBONE

LiveTouch™	34-WYO-015
120×600mm   1.44m²/pack	£60m² inc VAT

JOINT TYPE



FITTING METHOD







HEATING



Underfloor | Tog Rating



WARRANTY











LiveTouch™	34-WYO-006
180x1180mm	£55m² inc VAT
LiveTouch™ 228x1180mm   2.15m²/pack	34-WYO-022 £60m² inc VAT

An autumnal favourite, rich in rustic oak tones and inspired by traditional crafts and heritage.



WEYMOUTH | MILLHOUSE OAK HERRINGBONE

LiveTouch™	34-WYO-014
120x600mm   1.44m²/pack	£60m² inc VAT

STABILITY

E &

High

UNDERLAY



Built-in Underlay

WEAR RATING






WATERPROOF

INSTALLATION



Score an





## WEYMOUTH | VINE OAK

LiveTouch™ 180x1180mm	34-WYO-008 £55m² inc VAT
LiveTouch™	34-WYO-024
228x1180mm   2.15m <sup>2</sup> /pack	£60m² inc VAT

Warming antique hints and hues, reminiscent of the timeworn floors of graceful manor houses.

WEYMOUTH | VINE OAK HERRINGBONE

LiveTouch™	34-WYO-016
120×600mm   1.44m²/pack	£60m² inc VAT

JOINT TYPE



FITTING METHOD







HEATING







THICKNESS

WARRANTY







WOOD-DESIGN FLOORING

# WARWICK

High-Performance Iconic Design Panels

Elegance reinvented - premium waterproof panels with a beautiful true-to-nature textured grain







LiveTouch™ 34-WCK-002 600x600mm | 2.16m<sup>2</sup>/pack £75m<sup>2</sup> inc VAT

An elegant blend of beautiful tones enhanced to reflect the subtle maturing of natural oak.



WARWICK | CREST OAK

LiveTouch™ 34-WCK-001 600x600mm | 2.16m<sup>2</sup>/pack £75m<sup>2</sup> inc VAT

A sumptuous grey oak panel, aged and darkened to add depth and interest to any design scheme.

JOINT TYPE





FITTING METHOD



HEATING







WARRANTY





## WARWICK | SLADE OAK

 LiveTouch™
 34-WCK-003

 600x600mm | 2.16m²/pack
 £75m² inc VAT

A timeless classic, bringing to life the character of limed and washed oak in a statement design.



## WARWICK | HAZELNUT OAK

 LiveTouch™
 34-WCK-004

 600x600mm | 2.16m²/pack
 £75m² inc VAT

A graceful coming together of rich and burnished hues, enhanced by light playing across the grain.

STABILITY

₽ 🗞

High

UNDERLAY



Built-in Underlay

WEAR RATING



AC4


WATERPROOF



INSTALLATION



Score an



# A GUIDE TO YOUR NEXT STEPS

Now you've chosen your floor, make sure you have everything you need for the perfect fit...



## SUBFLOOR PREPARATION

With an array of products to level, protect and prime your subfloor, we have everything you need to create a sound base for your Woodpecker floor.





## GLUE & UNDERLAY

Of Allio

View our specially formulated adhesives and wide range of underlays for the perfect fit.







VISIT OUR WEBSITE TO DISCOVER TOP TIPS ON HOW TO CARE FOR YOUR WOODPECKER FLOOR:

woodpeckerflooring.co.uk/care-video/



## SUBFLOOR

#### PREPARATION

Properly prepared and suitable subfloors serve as a strong foundation for your new flooring.

All of our subfloor products have been carefully designed not only to work wonderfully with wood flooring, but work seamlessly with adhesives too.

Below we show you some common scenarios where our products can be used together:

#### OLD SOLID SCREEDED FLOOR THAT REQUIRES LEVELLING:

11P Primer WP60 Liquid DPM Level-X MS Parquet Adhesive Tongue & Groove Floor

OLD AND DUSTY SOLID SCREEDED FLOOR THAT DOESN'T REQUIRE LEVELLING:

11P Primer WP60 Liquid DPM MS Parquet Adhesive Tongue & Groove Floor

#### OLD AND UNEVEN TIMBER FLOORBOARDS:

Plywood overlay Level-X Primer Level-X MS Parquet Adhesive Tongue & Groove Floor

#### STICKING DOWN TO AN ANHYDRITE SCREED WITH UNDERFLOOR HEATING:

Level-X Primer Level-X MS Parquet Adhesive Tongue & Groove Floor

#### ACOUSTIC DEADENING INSTALLATION:

Acoustamat Underlay (see page 136) WP50 Adhesive Sausages Tongue & Groove Floor

## SUBFLOOR PREPARATIONS

## FOR A COMPLETELY FLAT SUBFLOOR



#### WP60 LIQUID DPM

Apply this liquid membrane to your subfloor to prevent residual moisture from the subfloor penetrating your natural wood floor.

Size 5L	23-LDP-001
Covers approx 25m <sup>2</sup>	£191 inc VAT



#### LEVEL-X & PRIMER

If your subfloor is uneven, solve the problem the natural way using gravity. With care, it can be feathered off to 2mm at the edges.

How much Level-X do you need?

Average thickness required (mm) x 1.7	x floor area (m²) = number of bags
20 (kg)	

12-LXP-001
£22 inc VAT
12-LXC-001
£39 inc VAT



#### 11P SURFACE PRIMER

Does your Woodpecker flooring need to bond to a dusty or porous subfloor?

To improve surface adhesion, apply 11P Surface Primer before using our MS Parquet adhesive, WP50 Sausages, or WP60 DPM.

Size 5L	31-WSP-001
	£44 inc VAT



#### DAMP PROOF MEMBRANE (DPM)

Designed to be used in conjunction with a cushioning underlay, and to prevent moisture damaging your floor, this membrane is durable and strong with high puncture resistance. It's made from 1000-gauge high quality polythene.  $4m \times 25m$ 

 $\begin{array}{ll} \text{Depth 1000 gauge} & 37\text{-DPM-100} \\ \text{Roll covers approx } 100\text{m}^2 & \textbf{£100 inc VAT} \end{array}$ 



## GLUE & UNDERLAY

#### FOR **GLUING** FLOORS DOWN

Please note you cannot glue down Weymouth & Warwick products



Made for Woodpecker floors,
MS Parquet will secure boards in 6 hours,
remaining permanently flexible to allow for movement
whilst holding boards firm. Coverage is dependent on
the notch trowel - B3 is 15m2, B6 is 10m2.



15kg 31-SMS-100 Covers approx 15m<sup>2</sup> £176 inc VAT



Applied using a bulk gun, this purpose-made adhesive is designed for use with Woodpecker's Acoustamat underlay to form a liquid batten system.





#### **ACOUSTAMAT**

If you are concerned about noise pollution, install an Acoustamat slotted underlay in conjunction with WP50 Sausages to form a liquid batten system.

Depth 3mm	49-SSK-001
Roll covers approx 16.5m <sup>2</sup>	£100 inc VAT

#### FOR **NAILING** FLOORS DOWN

Please note you cannot nail down Design Panels, Warwick and Weymouth products


#### MOISTOP™ BARRIER PAPER

This moisture resistant barrier paper is perfect if you're using secret nails to secure a wooden floor over a timber-based subfloor.

Its bitumen backing selfseals around the nail holes to maintain a moisture barrier and prevent your flooring absorbing moisture from below.



Width 1000mm 53-MBP-001
Roll covers approx 25m<sup>2</sup> £75 inc VAT





#### SOLITEC

Where gluing down your solid or tongue & groove engineered floor is not possible, this specialist underlay has a strong adhesive top layer for the floor to bond to.

Depth 3mm	49-STS-003
Roll covers approx 10m <sup>2</sup>	£100 inc VAT

## FOR **FLOATING** FLOORS

Please note you cannot float York or Design Panel products



Floormate provides an excellent moisture protection, and is ideal for areas of heavy foot traffic. Made from rubber, it incorporates a foil vapour barrier and is ideal for any floating floor installation because it combines comfort, support and good sound and thermal insulation.

Depth 3.6mm	49-FME-010
Roll covers Approx 10m <sup>2</sup>	£65 inc VAT
Depth 3.6mm	49-FME-015
Roll covers approx 15m <sup>2</sup>	£97 inc VAT



Designed especially for ground level subfloors where moisture could be present.

Depth 3mm	49-GBP-015
Roll covers approx 15m <sup>2</sup>	£36 inc VAT



FLOORING GRADE PVA

Woodpecker's flooring grade PVA is the ideal adhesive for bonding tongue and groove floors.

0.5kg	31-WPA-505
Covers approx 5m <sup>2</sup>	£7 inc VAT



#### XL UNDERLAY

If your subfloor suffers from some minor dips (up to 3mm) XL Underlay can help solve the problem.





products like our XL Underlay tiles.

10-VPT-097 75mm x 25m £7 inc VAT



For a simple technical guide to everything you need to know to install the floor, including preparation, see page 175.

## TRIMS

#### FOR **SMOOTH** TRANSITIONS



#### TWIN TRIM

Also called a 'T-bar' or 'expansion', the twin profile is used to cover the expansion gap between two floors of equal height, providing a neat finish at a doorway, or serving as a room divider.


#### END TRIM

This profile is commonly used for inset mat wells, as well as where wood flooring meets a patio door. They're also called 'edge', 'square edge' or 'end stop' profiles.




STONEHAVEN, HARLECH, GOODRICH, HIGHCLERE, DARTMOUTH, ORKNEY, BERKELEY, BOURTON AND DESIGN PANELS

14-18mm




YORK AND CHEPSTOW

18-22 mm



STONEHAVEN, HARLECH, GOODRICH, HIGHCLERE, DARTMOUTH, ORKNEY, BERKELEY, BOURTON AND DESIGN PANELS

14-18mm



YORK AND CHEPSTOW

18-22 mm





#### RAMP TRIM

Where one surface meets another at uneven heights, a ramp profile is used. Typically, they bridge the gap between vinyl and wood flooring. They are also called 'reducers' or 'adapters'.


#### SEMI RAMP TRIM

Where two surfaces meet but the difference in height is slight, a semi-ramp profile is the solution. They are ideal where your wood floor transitions to carpet.



STONEHAVEN, HARLECH, GOODRICH, HIGHCLERE, DARTMOUTH, ORKNEY, BERKELEY, BOURTON AND DESIGN PANELS

14-18mm



YORK AND CHEPSTOW

18-22mm



STONEHAVEN, HARLECH, GOODRICH, HIGHCLERE, DARTMOUTH, ORKNEY, BERKELEY, BOURTON AND DESIGN PANELS

14-18mm



YORK AND CHEPSTOW

18-22mm



## STONEHAVEN, HARLECH, GOODRICH, HIGHCLERE, DARTMOUTH, ORKNEY, BERKELEY, BOURTON AND DESIGN PANELS

#### 14-18MM THICKNESS

TRIM	LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)
TWIN	0.9m	£29	£39
I WIIN	1.8m	£54	£72
END	0.9m	£29	£39
END	1.8m	£54	£72
RAMP	0.9m	£34	£44
KAMP	1.8m	£63	£81
SEMI RAMP	0.9m	£32	£42
	1.8m	£59	£78

## YORK AND CHEPSTOW

#### 18-22MM THICKNESS

TRIM	LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)
TWIN	0.9m	£32	£42
I WIIN	1.8m	£59	£78
END	0.9m	£32	£42
END	1.8m	£59	£78
RAMP	0.9m	£37	£47
KAMP	1.8m	£68	£87
SEMI RAMP	0.9m	£35	£45
	1.8m	£65	£83

SCAN HERE FOR VIDEO INSTRUCTIONS ON HOW TO INSTALL REAL WOOD TRIMS





## TRIM STYLE OPTIONS

## FINISHING TOUCHES

#### FLAT TRIM 20MM

With one curved and one square side, this is a multi-functional trim suitable for a variety of edges and perimeters. A wooden finish with staining available to complement solid and engineered floors.

the same height. A wooden finish	
with two curved edges. Staining is	
available to complement solid and	
engineered floors.	

FLAT TRIM 44MM

A multi-functional trim perfect for

transitions between two floors of



LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)
1.2m	£25	£35
1.8m	£35	£49

LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)
1.2m	£28	£38
1.8m	£39	£53

#### SCOTIA TRIM



It's not always possible to remove and refit skirting boards when you fit a wood floor, so this inwardly curved trim can be used to hide the expansion gap between skirting and the flooring.

LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)
1.8m	£23	£33

# COLOUR MATCHED TRIMS

#### TO COMPLEMENT ALL FLOORS

In addition to our natural oak products, we also offer stained trims to complement our range of stained floors. However, just like our flooring, natural colour variation does occur, so they may not be a 100% colour match.





# STAIR NOSING

## FOR A **NEAT** FINISH

#### OVERLAP STAIR NOSING TRIM

Protect the edges of the flooring on your staircase with a stair nosing trim. This trim will stop excessive wear and tear and looks smart. It comes in colours to complement our flooring.

#### TONGUE & GROOVE STAIR NOSING TRIM

Available in colours to complement our wood flooring, this tongue and groove stair nosing trim will provide a neat finish on your staircase. Please note tongue & groove stair nosing isn't suitable Stonehaven and herringbone floors.



	RRP (INC VAT)	VAT)
LENGTH	OR UNFINISHED	RRP (INC
	NATURAL OAK	STAINED

0.9m	£55	£65
1.8m	£102	£120



IC



## SKIRTING BOARDS

#### TO COMPLETE YOUR ROOM



#### SOLID OAK

Made from rustic grade timber, and available either lacquered or unfinished, our solid oak skirting looks fantastic. This skirting is double sided and interchangeable so gives you the option of having Torus (beading along the top) or Ogee (with a groove and a head).

Finished size: 20 x 145 x 2350mm

CODE	RRP (INC. VAT)
69-SKU-145 - Unfinished	£84
69-SKO-145 - Lacquered	£84


# STRATEX® TRIMS

## TRIMS FOR WOOD-DESIGN FLOORING


#### STRATEX® STAIR NOSING TRIM



STRATEX® CARPET TRIM




STRATEX® TWIN TRIM



STRATEX® RAMP TRIM



STRATEX® PERIMETER TRIM



STRATEX® SCOTIA TRIM



TRIM	LENGTH	RRP (INC VAT)
STAIR NOSING	0.9m	£27
3 TAIN NO3ING	1.8m	£56
CARPET	0.9m	£27
CARLET	1.8m	£56
TWIN	0.9m	£13
	1.8m	£25
RAMP	0.9m	£I3
IVALTIF	1.8m	£25
PERIMETER	0.9m	£I3
FEMILIETEK	1.8m	£24
SCOTIA	2.4m	£7

SCAN HERE FOR VIDEO
INSTRUCTIONS ON HOW TO
INSTALL PEEL AND STICK
STRATEX® TRIMS



# **COMBITRIMS**


## TRIMS FOR WOOD-DESIGN FLOORING

#### COMBITRIM TWIN/RAMP

The two profiles are used to cover the expansion gap between two floors of equal height, providing a neat finish at a doorway, or serving as a room divider.

Where one surface meets another at uneven heights, a ramp profile is used. Typically, they bridge the gap between vinyl and wood flooring.









BRUSHED CHROME



SATIN BRASS

WOODPECKER CODE	COLOUR	FINISH	LENGTH	RRP (INC VAT)
40-RTP-003	Black	Matt	0.9	£16
40-RTP-006	Black	Matt	1.8	£30
40-RTP-001	Brushed Chrome	Brushed and Polished	0.9	£16
40-RTP-004	Brushed Chrome	Brushed and Polished	1.8	£30
40-RTP-002	Satin Brass	Brushed and Polished	0.9	£16
40-RTP-005	Satin Brass	Brushed and Polished	1.8	£30

#### COMBITRIM EDGE/NOSING

This profile is commonly used for a mat well, as well as where wood flooring meets patio doors. Protect the edges of the flooring on your staircase with a smart stair nosing trim.



BRUSHED CHROME



SATIN BRASS



WOODPECKER CODE	COLOUR	FINISH	LENGTH	RRP (INC VAT)
40-ENP-003	Black	Matt	0.9	£16
40-ENP-006	Black	Matt	1.8	£30
40-ENP-001	Brushed Chrome	Brushed and Polished	0.9	£16
40-ENP-004	Brushed Chrome	Brushed and Polished	1.8	£30
40-ENP-002	Satin Brass	Brushed and Polished	0.9	£16
40-ENP-005	Satin Brass	Brushed and Polished	1.8	£30

# FINISHING TOUCHES

## THE SMALL DETAILS

#### PIPE COVERS

Conceal that unsightly hole around the radiator pipe with an easy-to-fit cover, colour-matched to your natural wood flooring.



Our hardwood pipe covers come in two halves with a unique jigsaw design so that they clip together creating a seamless join with an inside diameter of 15mm. These are available to complement all wood floors in our catalogue.

COLOUR	PER PACK	RRP (INC. VAT)
Oak or Unfinished	2	£14
Stained	2	£19

#### **DESIGN STRIPS**


For an elegant and seamless transition from one floor to another, or to add a design statement into a parquet design.

CODE	DIMENSIONS	RRP (INC. VAT)
11-FBB-180 - Brass	9.5mm x 3mm x 1.8m	£47
11-FBS-180 - Brushed Stainless Steel	9.5mm x 3mm x 1.8m	£47




#### **PROTECTALAY**

Save clean-up time, control dust, dirt and debris during renovations with our temporary floor protection. The material provides a strong, moisture-resistant yet breathable shield which can be used to safeguard wood flooring during and after installation.



CODE	SIZE	RRP (INC. VAT)
49-PRL-001	$1 \times 30m = 30m^2/roll$	£125



# **CHECKLIST**

Here's a handy list to check off those essentials for the perfect floor finish:

1	Is your subfloor level and sound?
2	Have you chosen your underlay and/or adhesive?
3	Do you need trims for a seamless transition between rooms?
4	Don't forget your skirting boards and pipe covers for a pristine finish.
5	Discover our cleaning and maintenance range on page 170-173 to clean and preserve the beauty of your floor.

## ALL FLOORS

#### CLEANING & MAINTENANCE MADE EASY

1 2

#### DOOR MATS

A good quality floor mat will catch dirt and grit, reducing the risk of damage to your floor. Grit underfoot is like sandpaper, scratching the floor's finish, so consider fitting Woodpecker Coir Matting which provides a barrier to wet and dirty feet.

#### **RUGS OR CARPET RUNNERS**

We know the last thing you want to do is cover up the beautiful texture of your floor, but sometimes prevention is better than the cure. Consider rugs or carpet runners for high footfall areas such as doorways, halls and stairs.

#### BE CAREFUL WITH FURNITURE

Never drag furniture or other objects across your floor

— it can easily result in unsightly dents or scratches.

Woodpecker offers a variety of felt protectors that enable you to move furniture easily without marking your floor.

#### SHOE RULES

Avoid wearing heavy shoes or work boots when stepping onto your floor. High heels, and stilettos in particular, should be avoided. They exert a huge amount of pressure that easily dents or marks even the toughest of floors.

#### PET PATROL

Nothing's more natural than a dog or cat curled up by the fire, asleep on your floor. But remember to keep your pet's claws trimmed to prevent scratches and if there are any 'accidents' make sure they're cleaned up fast.

#### SHINSHINE

Sunlight will naturally help a floor's colour to mellow, so move rugs, mats and furniture regularly to ensure an even maturing of colour. Excessive exposure to direct sunlight can lead to expansion/shrinkage, warping and splitting. Consider shading your floor from large windows that face the sun.

#### COIR MATTING

Coir matting is a great way of protecting your floor.

CODE	SIZE	RRP (INC. VAT)	
42-COI-010	1m <sup>2</sup>	£48	



#### FELT PADS

Place underneath all types of furniture including dining chairs and table legs to protect from scratches.

CODE	DESCRIPTION	SIZE	RRP (INC. V
05-FFP-951	Heavy Duty Felt Pads x 20 (Round)	19mm	£5
05-FFP-952	Heavy Duty Felt Padsx 16 (Round)	25mm	£5
05-FFP-953	Heavy Duty Felt Pads x 8 (Round)	38mm	£5
05-FFP-950	Heavy Duty Felt Pads x 2 (Rectangular)	113x 153mm	£9







#### EXPERT TIP

Over time, felt pads collect grit and so to prevent any unnecessary scratches on your floor, remember to renew them every so often.

#### CLEANING KIT

Love your floor and keep it in tip-top condition with a Woodpecker Cleaning Kit. Using our Floor Cleaning & Care guide inside, you will be able to ensure your floor looks its best and lasts even longer.

CODE	DESCRIPTION	SIZE	RRP (INC. VAT)
77-CKO-001	Cleaning Kit for Oiled Wood Floors	1L	£44
77-CKL-001	Cleaning Kit for Lacquered Wood Floors and Wood-design Floors	1L	£44
77-COC-001	Cleaning Liquid Refill for Oiled Wood Floors	1L	£10
77-CLC-001	Cleaning Liquid Refill for Lacquered Wood Floors and Wood-design Floors	1L	£10
77-CKM-001	Replacement Mop Head		£12



#### LIGHT CLEANING

Regular sweeping with a soft bristled broom will get rid of dust and rogue bits of grit on the floor. You can also vacuum your floor — with a soft brush attachment to minimise scratching.

## MOPPING



Always use a well-wrung mop when cleaning and remove excess liquid immediately. Woodpecker supplies specially formulated Cleaning Kits that include a gentle Spray Mop, Cleaning Liquid and Care Guide for both lacquered and oiled finishes.

#### CLEAN UP SPILLS



WOODPECKER

Moisture is the enemy, so mop up any spilled drinks and never allow water or other liquids to sit for any length of time. The odd drop may not hurt, but excessive amounts of water will cause lasting damage.

## Includes:

- 1L Cleaning liquid
- Gentle spray mop with refillable cartridge
- · Washable mop head
- Floor cleaning & care guide



#### EXPERT TIP

We recommend only using Woodpecker Care products. Other products may lead to inferior results or leave harmful residues.



## OILED FLOORS

#### CLEANING & MAINTENANCE MADE EASY

#### CLEANING OILED FLOORS

For a deeper clean now and again, use Woodpecker One Coat Soap. This clever product will clean your floor and form a protective film, helping to build its surface resistance over time and making your floor even easier to maintain.

#### A QUICK TEST

A good way to check whether your floor needs treatment is to pour a few drops of water onto its surface. If the finish is in good order, the water will bead on the floor and can easily be wiped way. No maintenance is needed. If the water slowly soaks into the timber, leaving behind a light saturation mark, the finish is starting to wear thin. A new coat of oil should be applied. However, if the water is immediately absorbed and leaves a dark stain, the finish has been completely worn away and the floor may need sanding and re-coating.

# 3

#### **RE-OILING & REPAIRS**

Unlike lacquered floors, isolated areas of an oiled floor can be treated without having to re-oil the entire floor. Oiled wood floor that need re-oiling can be restored by applying Woodpecker One Coat Oil.



#### EXPERT TIP

Before any treatment is carried out, we recommend testing in an inconspicuous area of the floor to check compatibility.

## CLEANING KIT (OILED FLOORS)

Includes our specially formulated Cleaning Liquid and a gentle spray mop with a refillable cartridge and washable mop head.

CODE	DESCRIPTION	SIZE	RRP (INC. VAT
	Cleaning Kit for Oiled Wood Floors	1L	£44
77-COC-001	Cleaning Liquid Refill for Oiled Wood Floors	1L	£10



#### ONE COAT SOAP

If your Woodpecker floor has an oiled finish, clean it with One Coat Soap.

CODE	SIZE	RRP (INC. VAT)
81-OCS-002	2L	£68



#### ONE COAT CLEANER

Prepare the surface of your sanded or oiled floor for re-oiling.

CODE	SIZE	RRP (INC. VAT)
81-OCC-001	1L	£39



#### ONE COAT OIL

Restore the rich natural colours and textures of your wooden floor.

CODE	SIZE	COVERS	RRP (INC. VAT)
81-OCO-001	1L	40-50m <sup>2</sup> /L	£119



#### TOUCH UP OIL

Conceal scratches on your oiled floor quickly and easily by applying Touch Up Oil.

CODE	SIZE	FINISH	RRP (INC. VAT)
02-TUO-080	100ml	Pure (enriches)	£16



# LACQUERED & WOOD-DESIGN FLOORS

#### CLEANING & MAINTENANCE MADE EASY

1

## CLEANING LACQUERED & WOOD-DESIGN FLOORS

For a deeper clean every so often, use a higher concentrated mix of the Woodpecker Cleaning Liquid. This will help thoroughly clean your floor.

#### **RE-LACQUERING & REPAIRS**

If your lacquered floor gets any isolated scratches or dents, these can be sealed using Woodpecker Scratch Cover according to the instructions supplied.

Deeper scratches or gouges can be filled in using Woodpecker Scratch Repair Sticks. Afterwards, apply some Woodpecker Scratch Cover to give the repair a protective finish.

Extra care is needed when sanding stained floors to ensure that the process doesn't break through the complete layer of stain. In this instance, the floor would require a patch-repair before the lacquer is applied.

If the floor is badly worn in some places, it may be necessary to sand the flooring back to its unfinished surface before recoating all over. Unlike oil, lacquer doesn't penetrate the wood's surface, instead it sticks to it so the entire floor must be covered to avoid ridges and overlap marks. Apply several coats if your floor faces lots of foot traffic.



#### WOOD-DESIGN FLOOR REPAIRS

The best way to conceal small scratches and marks on our Warwick & Weymouth range is with Scratchfix — a quick and easy method to restore scratches on resilient floors.

Included in the kit is a Scratchfix Spray, which will help to restore tired, worn areas of your floor.

#### CLEANING KIT

Includes our specially formulated Cleaning Liquid and a gentle spray mop with a refillable cartridge and washable cover.

DECCRIPTION

CODE	DESCRIPTION	SIZE	KKF (
77-CKL-001	Cleaning Kit for Lacquered/ Wood-Design Floors	1L	£44
77-CLC-001	Cleaning Liquid Refill for Lacquered/ Wood-Design Floors	1L	£10



#### SCRATCH REPAIR STICKS

Our Scratch Repair Sticks are great for filling and hiding deep scratches.

CODE	COLOUR	RRP (INC. VAT)
02-SPS-001	Various	£8



#### SCRATCH COVER

Cover scuffs, chips, scratches and other minor marks in the surface of wood flooring.

CODE	SIZE	COLOUR	RRP (INC. VAT)
02-SCD-001	100ml	Dark	£6
02-SCM-001	100ml	Medium	£6
02-SCL-001	100ml	Light	£6



#### SCRATCHFIX REPAIR KIT

Scratchfix offers a quick and easy method to minimize scratches on resilient floors — an ideal solution to help conceal accidental marks on our Weymouth & Warwick range.

CODE	RRP (INC. VAT)
21-FIX-001	£69



# TECHNICAL

EXPERT KNOWLEDGE

A Woodpecker floor is beautiful when installed with consideration and care. The next few pages will help you with some useful tips.

If you need any further help, our expert team are happy to talk through any queries with you. Call us on 02920 888 223 or email us at info@woodpeckerflooring.co.uk.

## PREPARATION

#### INSTALLATION

#### **BEFORE DELIVERY**

Ensure concreting, plastering and decorating are complete, the building is thoroughly dried out and windows and doors are fitted and watertight.

#### HEATING AND AIR CONDITIONING

Room temperature and humidity levels need to be stable before flooring is delivered. Heating/air conditioning should be on for at least two weeks before the floor is laid. Underfloor heating must be thoroughly tested, and turned off 48 hours before fitting.

#### PREPARING THE SUBFLOOR

The subfloor must be in good structural condition, free from damp rot, fungal or insect infestation and contaminating residues. It must be flat with bumps and dips not exceeding 3mm over a 2m area, vacuumed and free of debris. Hot pipes should be well insulated to prevent localised hotspots, which can cause warping or shrinkage.

#### LEVELLING THE FLOOR

If the subfloor needs to be levelled, apply our Level-X<sup>TM</sup> Primer followed by Level-X<sup>TM</sup> Self-Levelling Compound, which is fibre reinforced. Latex self levelling compounds should only be used when the floor will be floated. Minor undulations can be disguised using the Woodpecker XL Underlay.

#### **SUBFLOOR**

A rule of thumb for the drying time of a sand and cement-based screed is one day per millimetre for the first 50mm, and 2.5 days for each millimetre thereafter. So, a 50mm screed should take about two months to dry out, and a 100mm screed will take six months. Plaster takes up to six weeks to dry completely.

#### DAMP PROOFING

Moisture is the enemy of natural wood, and can damage your beautiful flooring. Even when your subfloor looks dry, it may contain excess moisture in the substrate. Using a professional moisture meter such as the Protimeter MMS will tell you whether or not it's safe to go ahead with installation. Readings shouldn't exceed:

- 70% Relative Humidity (RH) for cement-based concrete
- 11% Wood Moisture Equivalent (WME) for wooden subfloors or joists

NB: The subfloor should be prepared for installation in accordance with the industry standards outlined in BS-8201-2011.

#### ATMOSPHERIC CONDITIONS

Room temperature shouldn't be lower than  $18^{\circ}\text{C}$  ( $64^{\circ}\text{F}$ ), or floor temperature lower than  $15^{\circ}\text{C}$  ( $59^{\circ}\text{F}$ ). The Atmospheric Relative Humidity should be between 40 and 60%.

#### **ACCLIMATISATION**

The sealed, unopened boxes should be laid flat, in the centre of the room for 24 hours (wood-design), 3-4 days (engineered) or 5-7 days (solid), in typical living conditions. DO NOT store it outdoors, in an outbuilding, or anywhere with damp/condensation problems.

#### INSPECTION

Check each plank before installation. If there are any problems, get in touch with us so that we can rectify them. We can't consider any defects after the floor has been installed.

#### LAYING THE FLOOR

We recommend that our flooring is installed by an experienced fitter. If the flooring is laid over floorboards, it should be positioned at right angles to the previous planks. Otherwise we recommend laying planks in the same direction as the light entering the room, mixing lighter and darker shades. Use underlay as recommended and fit according to installation instructions.

Disclaimer: Installation guidance is advisory and is based on established good practice and the BS-8201-2011 standard. It is the fitter's responsibility to follow these procedures before, during and after installation. Woodpecker cannot accept responsibility for any issues relating to installation.



VISIT OUR WEBSITE FOR FULL PREPARATION AND INSTALLATION DETAILS:

woodpeckerflooring.co.uk/installation-instructions/

## FIXING

#### INSTALLATION

#### TONGUE & GROOVE



#### **FULLY STUCK DOWN**

Tongue and groove planks can be fixed directly to a concrete subfloor using Woodpecker Parquet MS Adhesive. Never glue the tongue and grooves together if you choose to fully stick down a wood floor as the boards could crack.



#### **FLOATING**

When laying a floating floor, you should glue tongue and groove boards together for stability, and to stop squeaking. Run adhesive along the groove of the long side and header joint of a plank. Slide it towards the long edge of the facing tongue with the header joint connected, then tighten with a tapping block or pulling iron.



#### NAILING

A tongue and groove wood floor can be secret nailed to an existing timber subfloor or, as long as the flooring is 18mm or thicker, fixed directly to joists as a structural floor.

The subfloor must be of a suitable width and thickness to hold 50mm cleats fired into it at a 45° angle. Joists should be kiln dried to avoid cupping or expansion and must be spaced in accordance with building regulations.

When secret nailing to the subfloor or joists, always use a Woodpecker Moistop Barrier Paper, for a moisture barrier. Flooring should be fitted at 45° or 90° to the subfloor and nailed over every joist.

Never use adhesive to glue between boards if it's being nailed down. The glue will inhibit the natural flexibility of the flooring and could cause cracks.



#### EXPERT TIPS

#### DON'T OVERGLUE

Never glue the tongue and grooves together if you choose to fully stick down a wood floor. Too much stress will be placed on the joints and they could crack.

#### IT'S NAILS OR GLUE, NOT BOTH

Never use adhesive to glue between boards if it's being nailed down. The glue will inhibit the natural flexibility of the flooring and could cause cracks.

#### EASILOC



#### **FLOATING**

Floating a floor means that boards are loose laid over the subfloor rather than glued, nailed or screwed down. A floating floor can be installed on concrete, anhydrite, existing wood floor, chipboard, ceramic tiles, PVC and linoleum – but not carpet.

If possible, it's easiest to lock the boards in complete rows rather than individually. When connecting the header joints, insert the board into the lip at an angle of 30° and at the same time move the board closer and lower into position. It should lock into place. If it won't go, don't force it. Check the board for dirt, excess lacquer or any other obstruction, remove that, and try again.

# QUICK FITTING TIPS



To allow for expansion gaps, spacers should be used at regular intervals when fitting and then removed before skirting boards, beading or trims are put in place.

#### **EXPANSION GAPS**

As wood is a natural substance, it will expand and contract with changes in the temperature and humidity. Therefore, expansion gaps need to be left to allow the floor to move.

#### To determine how much space needs to be left:

- Expansion gaps for solid wood floor should be 10 15mm regardless for floors measuring up to 5m in width. For engineered, the same gap should be used for areas up to 8m in width. Thereafter, for both types of floors, an extra 2mm per metre should be added.
- Floors with Stratex® technology will need expansion where there is likely to be temperature variation outside of normal living conditions (15°C to 25°C)
- Skirting boards should be fixed to the wall and shouldn't obstruct the movement of the floor in any way.
- Please see pages 140 141 for our full range of trims that can be used to conceal your expansion gaps.

# UNDERFLOOR HEATING

#### **BEFORE INSTALLATION**

- Turn off the underfloor heating for at least 48 hours prior to fitting the floor.
- Use expansion trims to allow for movement between different heating zones or unheated areas.

#### TEMPERATURE CONTROL

Ensure the system is calibrated so that the temperature to the underside of the wood floor never reaches more than 27°C, even if the thermostat setting is increased.

#### **AFTERCARE**

- Once fitted, the floor should be left to acclimatise for 2-3 days before the underfloor heating is turned on.
- When the heating is switched on it should be set at 1°C above the ambient temperature of the room and then raised by a further 1°C per day until the desired temperature is reached. Do not turn it on full straight away.
   Raising and lowering the temperature too quickly can cause the wood to shrink, expand or even crack.
- Gradual temperature changes should be continued, with 1°C changes per day to accommodate the changing seasons.



#### CALL OUR TEAM OF EXPERTS

If you need any further help, our expert team are happy to chat through any queries you have. You can reach us on 02920 888 223 or email us at info@woodpeckerflooring.co.uk.



# RANGE AT A GLANCE

HANDY TOOLS

A handy comparison tool to help you find the perfect floor.

## SOLID WOOD FLOORING

	COK (AK	THOUSE THOUSE	On <sub>th</sub>	Story Story	- <del>(4)</del>	D <sub>k</sub>	SNISS.	The state of the s	OCES TELL	TIME TENT	COA TARON	PACK NU	TARRA
YORK													
RUSTIC OAK OILED	36-YRO-150	£90/m²	18mm	150 x Random Lengths*	1.71m² Variable no.	Rustic	Oiled	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	22
RUSTIC OAK LACQUERED	36-YOR-150	£90/m²	18mm	150 x Random Lengths*	1.71m² Variable no.	Rustic	Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	22
WHITE WASHED OAK	36-YWW-150	£95/m²	18mm	150 x Random Lengths*	1.71m² Variable no.	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	23
TAWNY OAK	36-YTO-150	£95/m²	18mm	150 x Random Lengths*	1.98m² Variable no.	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	23
SELECT OAK (L)	36-YBM-150	£125/m <sup>2</sup>	18mm	150 x Random Lengths*	1.98m² Variable no.	Select	B & M Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	24
ANTIQUE OAK $\langle \hat{L}  angle$	36-YOA-150	£110/m²	18mm	150 x Random Lengths*	1.71m² Variable no.	Rustic	Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	25

<sup>\*</sup> Planks come in random lengths

# ENGINEERED WOOD FLOORING

	COOK Mr.	CALCE THE THE	On <sub>th</sub>	Sols Sols	- Ath Co	No.	Niss, On,	The E	OCES MAIN	CNOENT TENT	TARON	Ros No.	THE PARTY OF THE P
STONEHAVEN													
STRAIT OAK	74-STR-190	£69/m²	14mm 3mm wear	190 x 1900mm	2.166m <sup>2</sup> 6 planks	Rustic	UV Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	31
WISP OAK	74-SWI-190	£69/m²	14mm 3mm wear	190 x 1900mm	2.166m <sup>2</sup> 6 planks	Rustic	UV Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	31
RUSTIC OAK	74-SRU-190	£65/m²	14mm 3mm wear	190 x 1900mm	2.166m <sup>2</sup> 6 planks	Rustic	UV Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	35
STREAM OAK	74-SST-190	£73/m²	14mm 3mm wear	190 x 1900mm	2.166m <sup>2</sup> 6 planks	Rustic	UV Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	35
AMARETTI OAK	74-SAM-190	£75/m²	14mm 3mm wear	190 x 1900mm	2.166m <sup>2</sup> 6 planks	Rustic	UV Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	37
BROOK OAK	74-SBR-190	£79/m²	14mm 3mm wear	190 x 1900mm	2.166m <sup>2</sup> 6 planks	Rustic	UV Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	37

	CODE CODE	RICE THOU	ON REAL	SONS SACT	SER SRA	<b>6</b>	Mist, John	Day &	14. 14. 14. 14. 14. 14. 14. 14. 14. 14.	INC HEATER	Op TARON	PACE NUME	<b>1</b>
HARLECH	,			•	``	`		`		-	•		,
WHITE OILED OAK	35-HWO-189	£89/m²	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	40
ECRU OAK	35-HOE-001	£87/m²	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	40
FEATHER OAK	35-HFF-002	£89/m²	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	43
WHITE SMOKED OAK 190MM	35-HSW-001	£89/m²	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	43
WHITE SMOKED OAK 240MM	35-HWS-240	£103/m²	15mm 4mm wear	240 x 2200mm**	2.11m <sup>2</sup> 4 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	43
RAW OAK 190MM	35-HRA-001	£87/m²	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	46
RAW OAK 240MM	35-HRA-240	£101/m²	15mm 4mm wear	240 x 2200mm**	2.11m <sup>2</sup> 4 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	46
RUSTIC OAK OILED 150MM	35-HOC-148	£75/m²	15mm 4mm wear	150 x 1900mm**	1.71m <sup>2</sup> 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	47
RUSTIC OAK OILED 190MM	35-HRO-001	£85/m²	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	47
RUSTIC OAK OILED 240MM	35-HOR-240	£99/m²	15mm 4mm wear	240 x 2200mm**	2.11m <sup>2</sup> 4 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	47
RUSTIC OAK LACQUERED 150MM	35-HOB-001	£75/m²	15mm 4mm wear	150 x 1900mm**	1.71m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	47
RUSTIC OAK LACQUERED 190MM	35-HBL-001	£85/m²	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	47
RUSTIC OAK LACQUERED 240MM	35-HRO-240	£99/m²	15mm 4mm wear	240 x 2200mm**	2.11m <sup>2</sup> 4 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	47
SMOKED OAK	35-HSO-001	£89/m²	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	48
COFFEE OAK	35-HCO-001	£89/m²	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	48
BISCOTTI OAK	35-HGO-002	£89/m²	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	49
ESPRESSO OAK	35-HEO-001	£89/m²	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	49
GOODRICH													
WHITE OILED OAK	32-GWH-090	£103/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	UV Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	52
ECRU OAK	32-GEO-001	£101/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	52
FEATHER OAK	32-OGW-001	£103/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	53

	Cole (inc.)	SAC THOU	ONRIA RSS	Story Story	-SER SR	b <sub>k</sub>	Silving Con,	The S	Daris Mills	CHOCKET THE THE THE THE THE THE THE THE THE T	Op taken	PACE NUM	TREP
GOODRICH CONTD.													
WHITE SMOKED OAK	32-GWS-001	£103/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	53
RAW OAK	32-GRO-001	£101/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	54
NATURAL OAK	32-GNA-001	£98/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	54
SMOKED OAK	32-GFO-001	£103/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	57
BISCOTTI OAK	32-GGO-001	£103/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	57
ESPRESSO OAK	32-GCW-001	£103/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	58
COFFEE OAK	32-GCO-001	£103/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	58
RAW OAK CHEVRON	32-GRC-001	£133/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	60
FEATHER OAK CHEVRON	32-CGR-001	£133/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	61
SALTED OAK (L)	32-SGR-001	£129/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	62
CATHEDRAL (L)	32-GOC-001	£133/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Extra Rustic	Hardwax Oil	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	62
SPICED OAK (L)	32-GSO-001	£133/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Extra Rustic	Hardwax Oil	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	63
FOUNDRY OAK (L)	32-GMO-001	£133/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Extra Rustic	Hardwax Oil	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	64
CHARRED OAK (L)	32-GCD-001	£133/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	Hardwax Oil	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	64
HIGHCLERE													
FEATHER OAK	32-HFO-001	£108/m²	15mm 4mm wear	120 x 600mm	1.44m <sup>2</sup> 20 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	
NATURAL OAK	32-HNO-001	£102/m²	15mm 4mm wear	120 x 600mm	1.44m <sup>2</sup> 20 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	
COFFEE OAK	32-HCO-001	£108/m²	15mm 4mm wear	120 x 600mm	1.44m <sup>2</sup> 20 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	
BISCOTTI OAK	32-HBO-001	£108/m²	15mm 4mm wear	120 x 600mm	1.44m <sup>2</sup> 20 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	

\*\* Packs may include cut lengths

	Cole (Mr.)	Alck THICKNI	ON THE	ion and	CEL CER	O <sub>A</sub>	TONS TONS	na &	CES META	INC SEASON	Op takon	PACE NUM	Tako
DARTMOUT			•		•	•		,			•	•	-1
BEATEN OAK (L)	75-DBE-190	£93/m²	15mm	190 x 1900mm	2.166m <sup>2</sup> 6 planks	Extra Rustic	UV Oiled	Tongue & Groove	Hand Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	79
MARBLED OAK (L)	75-DMA-190	£95/m²	15mm	190 x 1900mm	2.166m <sup>2</sup> 6 planks	Extra Rustic	UV Oiled	Tongue & Groove	Hand Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	79
PEWTER OAK (L)	75-DPE-190	£95/m²	15mm	190 x 1900mm	2.166m <sup>2</sup> 6 planks	Extra Rustic	UV Oiled	Tongue & Groove	Hand Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	82
SMOKED OAK 〈L〉	75-DSM-190	£89/m²	15mm	190 x 1900mm	2.166m <sup>2</sup> 6 planks	Extra Rustic	UV Oiled	Tongue & Groove	Hand Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	82
TRUFFLE OAK $\langle \hat{ ext{L}}  angle$	75-DTR-190	£113/m²	15mm	190 x 1900mm	2.166m <sup>2</sup> 6 planks	Extra Rustic	UV Oiled	Tongue & Groove	Hand Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	83
fauna oak 🗘	75-DFA-190	£98/m²	15mm	190 x 1900mm	2.166m <sup>2</sup> 6 planks	Extra Rustic	UV Oiled	Tongue & Groove	Hand Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	84
GINGERSNAP (L)	75-DGI-190	£113/m²	15mm	190 x 1900mm	2.166m <sup>2</sup> 6 planks	Extra Rustic	UV Oiled	Tongue & Groove	Hand Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	84
PASSAGE OAK (L)	75-DPA-190	£95/m²	15mm	190 x 1900mm	2.166m <sup>2</sup> 6 planks	Extra Rustic	UV Oiled	Tongue & Groove	Hand Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	85
ORKNEY													
MARBLED OAK (L)	76-OMA-090	£109/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Extra Rustic	UV Oiled	Tongue & Groove	Hand Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	88
PEWTER OAK (L)	76-OPE-090	£109/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Extra Rustic	UV Oiled	Tongue & Groove	Hand Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	88
SMOKED OAK (L)	76-OSM-090	£107/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Extra Rustic	UV Oiled	Tongue & Groove	Hand Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	92
TRUFFLE OAK (L)	76-OTR-090	£130/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Extra Rustic	UV Oiled	Tongue & Groove	Hand Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	92
FAUNA OAK (L)	76-OFA-090	£112/m²	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Extra Rustic	UV Oiled	Tongue & Groove	Hand Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	93
PASSAGE OAK (L)	76-OPA-090	£109/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Extra Rustic	UV Oiled	Tongue & Groove	Hand Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	93
CHEPSTOW													
RUSTIC OAK UNFINISHED	65-HMU-001	£115/m²	21mm 6mm wear	189 x 1860mm**	2.11m <sup>2</sup> 6 planks	Rustic	Unfinished	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	97
RUSTIC OAK LACQUERED	65-HML-001	£117/m²	21mm 6mm wear	189 x 1860mm**	2.11m <sup>2</sup> 6 planks	Rustic	Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	97
RUSTIC OAK BRUSHED AND OILED 189MM	65-HBO-001	£117/m²	21mm 6mm wear	189 x 1860mm**	2.11m <sup>2</sup> 6 planks	Rustic	Brushed & Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	97
RUSTIC OAK BRUSHED AND OILED 240MM	65-HBO-002	£131/m²	21mm 6mm wear	240 x 2200mm**	2.11m <sup>2</sup> 4 planks	Rustic	Brushed & Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	97
FLAXEN OAK (L)	65-RAW-001	£134/m <sup>2</sup>	21mm 6mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	101

	CODE MC	SALCE THOU	On <sub>RES</sub>	Story Story	- Sept Or	10x	Nost, ON,	`Dak (1	14.75 Pages	CHOKE TEAN	Os TARON	PACE NUM	TER
CHEPSTOW CONTD.													
SHALE OAK (L)	65-RFO-001	£134/m²	21mm 6mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	101
SILVERGLADE (L)	65-RVVS-001	£134/m²	21mm 6mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	102
WASHED OAK (L)	65-RWA-001	£134/m²	21mm 6mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	102
WASHED OAK 240MM	65-RWA-002	£148/m²	21mm 6mm wear	240 x 2200mm**	2.11m <sup>2</sup> 4 planks	Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	102
ANTIQUE OAK (L)	65-POA-001	£134/m²	21mm 6mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	104
ANTIQUE OAK 240MM	65-POA-002	£148/m²	21mm 6mm wear	240 x 2200mm**	2.11m <sup>2</sup> 4 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	104
PLANED GREY (L)	65-POG-001	£134/m²	21mm 6mm wear	189 x 1860mm**	2.11m <sup>2</sup> 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	105
DISTRESSED CHARCOAL OAK (L) 190MM	65-AOC-001	£144/m²	21mm 6mm wear	190 x 1900mm**	1.444m <sup>2</sup> 4 planks	Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	105
DISTRESSED CHARCOAL OAK (L) 240MM	65-AOC-002	£158/m²	21mm 6mm wear	240 x 2200mm**	2.11m <sup>2</sup> 4 planks	Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	105
BERKELEY													
COTTAGE OAK $\stackrel{ar(L)}{ ext{L}}$	38-BDW-001	£150/m²	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	108
CATHEDRAL (L)	38-BCD-001	£150/m²	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	108
RUGGED OAK (L)	38-BRO-001	£150/m²	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	110
PRIORY OAK (L)	38-BPO-001	£150/m²	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	110
CHARTERHOUSE (L)	38-BOC-001	£150/m²	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	115
CELLAR OAK (L)	38-BCO-001	£150/m <sup>2</sup>	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	115
BOURTON													
NATURAL OAK (L)	77-BNA-190	£127/m²	15mm 3mm wear	190 x 1900mm	2.166m <sup>2</sup> 6 planks	Prime	UV Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	118
NATURAL OAK 240MM	77-BNA-240	£141/m²	15mm 3mm wear	240 x 2200mm	2.11m <sup>2</sup> 4 planks	Prime	UV Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	118
NATURAL OAK HERRINGBONE	77-BNA-090	£146/m²	15mm 3mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Prime	UV Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	119

#### DESIGN PANEL FLOORING

**DESIGN PANELS** Suitable Hardwax Stuck 0.56m<sup>2</sup> Tongue & 44-DCP-001 £250/m<sup>2</sup> 15mm 750 x 750mm Multi Micro Bevel if stuck Hard 126 LIMED OAK Oil 1 panel Groove down down SANDRINGHAM ROYAL OAK Suitable 0.56m<sup>2</sup> Hardwax Tongue & Stuck 44-DCP-002 £250/m<sup>2</sup> Multi Micro Bevel 750 x 750mm if stuck 126 15mm Hard 1 panel Oil Groove down down Suitable Hardwax Tongue & Stuck 0.56m<sup>2</sup> 44-DCP-003 £250/m<sup>2</sup> 750 x 750mm Multi Micro Bevel 126 15mm if stuck Hard AGED OAK Oil Groove down 1 panel down Suitable 0.56m<sup>2</sup> Hardwax Tongue & Perimeter Bevel Stuck 44-DCP-010 £250/m<sup>2</sup> 15mm 750 x 750mm if stuck Hard 127 Only Oil Groove down 1 panel down HIGHGROVE ROYAL OAK Suitable Perimeter Bevel 0.56m<sup>2</sup> Hardwax Tongue & Stuck 44-DCP-011 £250/m<sup>2</sup> 15mm 750 x 750mm if stuck Hard 127 1 panel Oil Groove Only down down Suitable 0.56m<sup>2</sup> Hardwax Tongue & Perimeter Bevel Stuck 44-DCP-012 £250/m<sup>2</sup> 127 15mm 750 x 750mm if stuck Hard AGED OAK 1 panel Groove Only down

#### WOOD-DESIGN FLOORING

	CODE ME	ARCK THOS	O) (Es	Roy St.	isk.	Thisty Only	<b>1</b>	12/17/10/2	CHORAGO CO	is taking	SACE NUMBER	\$
WEYMOUTH												
SEAMIST OAK 180MM	34-WYO-001	£55/m²	6mm	180 x 1180mm	2.124m <sup>2</sup> 10 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	136
SEAMIST OAK 228MM	34-WYO-017	£60/m²	6mm	228 x 1180mm	2.15m <sup>2</sup> 8 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	136
SEAMIST OAK HERRINGBONE	34-WYO-009	£60/m²	6mm	120 × 600mm	1.44m <sup>2</sup> 20 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	136
ALASKAN OAK 180MM	34-WYO-003	£55/m²	6mm	180 x 1180mm	2.124m <sup>2</sup> 10 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	137
ALASKAN OAK 228MM	34-WYO-019	£60/m²	6mm	228 x 1180mm	2.15m <sup>2</sup> 8 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	137
ALASKAN OAK HERRINGBONE	34-WYO-011	£60/m²	6mm	120 × 600mm	1.44m <sup>2</sup> 20 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	137
SHOREWOOD OAK 180MM	34-WYO-005	£55/m²	6mm	180 x 1180mm	2.124m <sup>2</sup> 10 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	140
SHOREWOOD OAK 228MM	34-WYO-021	£60/m²	6mm	228 x 1180mm	2.15m <sup>2</sup> 8 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	140

									(a			
	CODE ME	PAICE THICK	Kr.	OMERSIONS SAC	FSET	Mist, John	TRE	ED THE	LAND THE	Op hard	Ness Ness	₩,
WEYMOUTH CONT		9	40.	•	Α.	7	γ.	0.		o.	20.	7
SHOREWOOD OAK HERRINGBONE	34-WYO-013	£60/m²	6mm	120 × 600mm	1.44m <sup>2</sup> 20 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	140
ECHO OAK 180MM	34-WYO-004	£55/m²	6mm	180 x 1180mm	2.124m <sup>2</sup> 10 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	141
ECHO OAK 228MM	34-WYO-020	£60/m²	6mm	228 x 1180mm	2.15m <sup>2</sup> 8 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	141
ECHO OAK HERRINGBONE	34-WYO-012	£60/m²	6mm	120 × 600mm	1.44m <sup>2</sup> 20 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	141
ALMOND OAK 180MM	34-WYO-002	£55/m²	6mm	180 x 1180mm	2.124m <sup>2</sup> 10 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	144
ALMOND OAK 228MM	34-WYO-018	£60/m²	6mm	228 × 1180mm	2.15m <sup>2</sup> 8 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	144
ALMOND OAK HERRINGBONE	34-WYO-010	£60/m²	6mm	120 × 600mm	1.44m <sup>2</sup> 20 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	144
MALTED OAK 180MM	34-WYO-007	£55/m²	6mm	180 x 1180mm	2.124m <sup>2</sup> 10 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	145
MALTED OAK 228MM	34-WYO-023	£60/m²	6mm	228 x 1180mm	2.15m <sup>2</sup> 8 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	145
MALTED OAK HERRINGBONE	34-WYO-015	£60/m²	6mm	120 × 600mm	1.44m <sup>2</sup> 20 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	145
MILLHOUSE OAK 180MM	34-WYO-006	£55/m²	6mm	180 x 1180mm	2.124m <sup>2</sup> 10 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	148
MILLHOUSE OAK 228MM	34-WYO-022	£60/m²	6mm	228 x 1180mm	2.15m <sup>2</sup> 8 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	148
MILLHOUSE OAK HERRINGBONE	34-WYO-014	£60/m²	6mm	120 × 600mm	1.44m <sup>2</sup> 20 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	148
VINE OAK 180MM	34-WYO-008	£55/m²	6mm	180 x 1180mm	2.124m <sup>2</sup> 10 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	149
VINE OAK 228MM	34-WYO-024	£60/m²	6mm	228 x 1180mm	2.15m <sup>2</sup> 8 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	149
VINE OAK HERRINGBONE	34-WYO-016	£60/m²	6mm	120 × 600mm	1.44m <sup>2</sup> 20 planks	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	149
WARWICK												
CREST OAK	34-WCK-001	£75/m²	7mm	600 × 600mm	2.16m <sup>2</sup> 6 panels	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	153
EMRYS OAK	34-WCK-002	£75/m²	7mm	600 × 600mm	2.16m <sup>2</sup> 6 panels	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	153
SLADE OAK	34-WCK-003	£75/m²	7mm	600 × 600mm	2.16m <sup>2</sup> 6 panels	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	154
HAZELNUT OAK	34-WCK-004	£75/m²	7mm	600 x 600mm	2.16m <sup>2</sup> 6 panels	LiveTouch™	Easiloc	All 4 Edges	Floated	Yes	Hard	154



#### WOODPECKER FLOORING - TERMS & CONDITIONS OF SALE

In the unlikely event that goods are delivered wrong or damaged, it is the responsibility of the customer to ensure sufficient time is allowed for a replacement to be sent.

#### 1. DEFINITIONS

In these terms and conditions, the following words shall have the

following meanings:

"Buyer" shall mean any person, firm or company, to whom the Company supplies Goods or Services or with whom the Company enters into negotiations for the supply of Goods or Services enters into negotiations for the supply of Goods of Services.
"Company" shall mean Woodpecker Trading Co Ltd.
"Goods" shall mean products, articles or things which are supplied by or which are the subject of negotiations for supply by the Company to the Buyer.

"Services" shall mean services are supplied by or which are the subject of negotiations/or supply by the Company to the Buyer

#### 2 MAKING THE CONTRACT

2.1 The Company's salesmen are not authorised representatives and are not authorised to accept confirm or vary any order nor to make any representation or promise on the Company's behalf. 2.2 Any estimate/auotation which comprises an invitation to treat is open for a period of 30 days only from the date thereof, provided that the Company has not previously withdrawn it. Any order issued by the Buyer is subject to acceptance by the Company and a contract will only be formed when the Compan has accepted the Buyer's offer to buy in writing. Any offer made by the Buyer must be confirmed in writing by the Buyer.

2.3 All orders are placed under these terms and conditions alone 2.4 These terms and conditions exclude any other terms and

conditions inconsistent therewith which a Buyer might seek to impose even though such other terms and conditions may be submitted in a later document and/or purport to exclude or supersede any terms or conditions with them or may be contained any offer acceptance or counter-offer made by the Buyer. 2.5 All floors supplied by the Company must be fitted in accordance with BS8201 (2011). 2.6 No variation of these terms and conditions is permitted unless

expressly accepted by a Director of the company in writing

#### 3 CANCELLATION

3.1 No cancellation by the Buyer is permitted except where expressly agreed by a Director of the Company in writing. 3.2 The Buyer will in the event of agreed cancellation by the Buyer indemnify the Company fully against all expenses incurred up to the time of such cancellation together with by way of liquidated damages a sum of 33 1/3% of the contract price which shall be paid by the Buyer to the Company forthwith,

4.1 All prices quoted are those ruling at the date of dispatch or subbly.

4.2 Unless otherwise stated all prices quoted are net, exclusive of VAT, and in the case of Goods ex works.

4.3 The Company reserves the right at any time prior to delivery of the Goods or supply of Services to adjust the price to take account of any increase in the cost of raw materials, labour or services or any currency fluctuations affecting the cost of imported materials or services

#### 5. TERMS OF PAYMENT

5.1 All sums become due and payable under these terms and conditions not later than 20th of the month following date of

5.2 Time for payment shall be of the essence

5.3 The Company reserves the right to charge interest at 2.5 per centum per month on all overdue accounts, such interest bein deemed to accrue on a day to day basis from the due date for avment under clause 5.1

5.4 If the Buyer (being a Company) has a petition for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed or all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangement with its creditors or commits a material or serious breach of this Agreement (and in the case of such a breach being remediable fails to remedy it within 7 days of receiving notice to do so) he will be deemed to have repudiated the Contract.

5.5 The Company reserves the right at any time at its discretion to demand security for payment before continuing with or delivering Order, supplying any Goods or Services.

5.6 The Buyer accepts that in the event of non-payment within the payment period the Company will resort to legal action to recover the debt in this instance a 20% surcharge will be added to the outstanding amount to cover administration and agents fees. 5.7 Where the Buyer is a company the directors agree to guarantee payment personally, both jointly and severally, of any outstanding amounts due in the event of their company being unable to meet its financial commitments or becoming insolvent

#### 6. DELIVERY

6.1 Delivery will be deemed to have been effected when the Goods are ready for collection at the premises of the Company or as the case may be the premises of the suppliers to the Company in circumstances where the Goods are delivered direct from such suppliers.

6.2 Time of delivery is not of the essence

6.3 The Company shall not be liable for any loss whatsoever or howsoever arising caused by its non-delivery or by the failure to make Goods ready for collection on the due date.

6.4 The Company reserves the right to make delivery by instalments and to tender a separate invoice in respect of each instalment.

6.5 When delivery is to be by instalments or the Company exercises its right to deliver by instalments under clause 6.4 hereof or if there be delay in the delivery of any one or more instalments

for whatever reason this will not entitle the Buyer to treat the

contract as repudiated and/or to damages.

6.6 Deviations in quantity between the Goods delivered and Goods ordered representing not more than 10 per cent by value shall not give the Buyer any right to reject the Goods or to claim damages and the Buyer shall be obliged to accept and pay at the contract rate for the quantity of the Goods delivered.

#### 7 SLIPPLY OF SERVICES

Time for the supply of Services is not of the essence. 7.2 The Company shall not be liable for any loss whatsoever or howsoever arising caused by its failure to supply Services or any

part thereof on the due date. 7.3 The Company reserves the right to supply Services by instalments and to tender a separate invoice in respect of each

7.4 When the supply of Services is to be by instalments or the firm exercises its right to supply Services by instalments under clause 7.3 hereof or if there be a delay in the supply of any one or more instalments of Services for whatever reason this will not entitle the Buyer to treat the contract as repudiated or to damages.

7.5 Deviation in the quantity between Services supplied and the Services ordered representing not more than 10 per cent by value shall not give the Buyer any right to reject the Services or to claim damages and the Buyer shall be obliged to accept and pay at the contract rate for the quantity of the Services supplied

#### 8. RISK AND THE PASSING OF PROPERTY IN GOODS 8.1 Risk in the Goods shall bass to the Buyer when the Goods are

8.2 Notwithstanding risk in the Goods bassing in accordance with clause 8.1 hereof title in the Goods shall not pass to the Buyer until whichever shall be the first to occur of the following:-8.2.1 Payment being received by the Company for the Goods and Services and no other amounts then being outstanding from the Buyer to the Company in respect of other Goods or Services

supplied by the Company
8.2.2 the Buyer selling the Goods in accordance with the provisions of these terms and conditions in which case title to the Goods shall be deemed to have passed to the Buyer immediately prior to delivery of the Goods to the Buyer's

8.2.3 The Company waiving its rights under this clause 8.2 in respect of specified Goods or Services whereupon title to the said Goods shall forthwith vest in the Buyer.

8.3 The Buyer is licensed by the Company to use or to agree to sell the Goods delivered to the Buyer subject to the express condition that the entire proceeds of any sale are held in trust for the Company and are not mixed with other moneys or paid into an overdrawn bank account and shall at all times he identifiable as

the Company's moneys.

8.4 Until title to the Goods passes:

8.4.1 The Buyer will hold the Goods as fiduciary agent and Bailee for the Company;

8.4.2 the Goods shall, subject to clause 8.3, he kept separate and distinct from all other property of the Buyer and of third parties and in good and substantial repair and condition and be stored in such a way as to be clearly identifiable as belonging to th Combany:

8.4.3 the Company may at any time revoke the power of sale and use contained in clause 8.3 by notice to the Buyer if the Buyer is in default beyond the 20th of the month following invoice in the payment of any sum whatsoever due to the Company (whether in respect of the Goods or any other Goods or Services supplied at any time by it to the Buyer) or if the Company has bona fide doubts as to the solvency of the Buyer:

8.4.4 The Buyer's power of sale and use contained in clause 8.3 shall automatically cease if the Buyer has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogues act or proceeding under foreign law; 8.4.5 upon determination of the Buyer's power of sale and use pursuant to clause 8.4.3 or clause 8.4.4. The Buyer shall place any of the Goods in its possession or under its control and unsold at the disposal of the Company and the Company shall be entitled to enter upon any premises of the Buyer for the purpose of removing

8.5 The Company shall at any time be entitled to appropriate any payments made by the Buyer in respect of any Goods or Services in settlement of such invoices or accounts in respect of such Goods or Services as the Company may in its absolute discretion think fit notwithstanding any purported appropriation to the contrary by

#### 9. LIEN AND STOPPAGE

9.1 Until such time as the title in the Goods has bassed to the Buyer the Company has the right to withhold delivery if the Buyer (being a Company) has a petition presented for its winding-up of passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceedings under foreign law. 9.2 When the title in the Goods has passed to the Buyer and the time for payment has fallen due but payment has not been made or if the Buyer (being a Company) has a petition presented for its

winding-up or passes a resolution for voluntary winding-up otherwise than for the purposes of a bona fide amalgamation reconstruction or compounds with its creditors or has a receiv appointed of all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceedings under foreign law the Company has

9.2.1 A lien on the Goods as long as the Company is in possession

9.2.2 A right of stoppage in transit

9.2.3 A right of resale 9.3 For the avoidance of doubt it is hereby declared that nothing in this clause shall affect the rights given to the Company by ss.38-48 of the Sale of Goods Act 1979.

#### INSPECTION/SHORTAGES

10.1 The Buyer is under a duty to inspect the Goods forthwith on delivery and satisfy himself as to the due performance of Services forthwith after supply

10.2 The Company shall be under no liability for any defects or shortages that would be apparent on careful inspection if the terms of this clause are not complied with, and, in any event will be under no liability if a written complaint is not delivered to the Company within 7 days of delivery or supply detailing the alleged detect or shortage.

10.3 In all cases where defects or shortages in respect of Goods

are complained of the Company shall be under no liability in respect thereof unless an opportunity to inspect the Goods is given to the Company before any use is made thereof or any alterat or modification is made thereto by the Buyer.

10.4 Subject to clauses 10.2 and 10.3 the Company shall make good any defect or shortage in the Goods and where appropriate replace any Goods damaged in transit as soon as it is reasonably able to do so, but otherwise shall be under no liability whatsoev or howsoever arising from such defect, shortage or damage.

10.5 Subject to clause 10.4 the Company shall remedy any defect in the supply of Services as soon as it is reasonably able to do so but otherwise shall be under no liability whatsoever or howsoever arising from such defect

#### 11 WARRANTY

The Buyer shall satisfy himself of the suitability of the Goods or Services for any particular use or purpose and shall be totally

11.2 If the Goods are in such a state or the Services so defectively supplied as would but for this condition entitle the Buyer to repudiate the contract and/or claim damages from the Company the Company reserves the right to repair or replace the Good or perform the Service (or relevant part thereof) again.

#### 12 LIABILITY

#### 12.1 Introduction

12.1.1 Nothing in clause 12 shall be deemed to exclude or restrict the Company's liability for death or personal injury resulting from

12.1.2 Each of the sub-clauses in clause 12 is to be treated as separate and independent

12.1.3 The Company is willing to undertake liability additional to that provided by this clause in exchange for a higher price 12 2 Exclusion

12.2.1 Clause 12.2 only covers defects caused by faulty design, manufacture, materials or workmanship. It does not cover defects ed by abnormal use, misuse or neglect

12.2.2 The Company agrees that if any defect covered by clause 12.2 is discovered during the warranty period commencing with the date of delivery or supply, the Company will remedy any defect at its own expense or, in the case of Goods if it chooses to do so

12.2.3 The Buyer cannot claim the benefit of this clause unless he informs the Company of the relevant defect in writing within

7 working days of discovering it. 12.2.3a The Company will not accept any liability for defects in goods once they have been fitted. It is the buyer's responsibility to check the goods prior to installation.

12.2.4 The risk of accidental loss whilst the Goods are being

returned will be borne by the Buyer

12.2.5 In consideration for receiving the benefit of this clause, the Buyer agrees that, apart from those terms set out in clause 10 and 11, all other terms, whether conditions, warranties or innominate terms, express or implied, statutory or otherwise, are excluded from the contract between the Company and the Buyer to the extent permitted by law (except where the Buyer deals as onsumer within section 12 of the Unfair Contract Terms Act 1977 when the terms implied by sections 13, 14 and 15 of the Sale of Goods Act 1979 shall be implied into the contract). 12.3 Exclusion of Consequential Loss.
The Company shall not be liable for any consequential or indirect

loss suffered by the Buyer whether this loss arises from breach of a duty in contract or tort or in any other way (including loss arising from the Company's negligence)

Non-exhaustive illustrations of consequential or indirect loss would

- Loss of brofits
- Loss of contracts
- Damage to property of the Buyer or anyone else, and Personal injury to the Buyer or anyone else (except so far as such injury is attributable to the Company's negligence)

The Company's total liability for any one claim or for the total of all claims arising from any one act or default of the Company (whether arising from the Company's negligence or otherwise) shall not exceed £1000 Or the contract price whichever is the greater

#### 13. FORCE MAIEURE

13.1 The Company shall not be liable for any failure to deliver the Goods or perform the Services arising from circumstances outside the Company's control

13.2 Non-exhaustive illustrations of such circumstances would be act of God, war, riot, explosion, abnormal weather conditions, fire, flood, strikes, lockouts, Government action or regulations (UK or otherwise), delay by suppliers, accidents and shortage of materials, labour or manufacturing facilities.

13.3 Should the Company be prevented from delivering the Goods or performing the Services in the above circumstances, it shall give the Buyer written notice of this fact as soon as reasonably practicable after discovering it.

13.4 If the circumstances preventing delivery of the Goods or performing the Services are still continuing three months after the River receives the Combany's notice, then either party may give notice to the other cancelling the contract.

13.5 If the contract is cancelled in this way, the Company will refund any payment which the Buyer has already made on account of the price (subject to deduction of any amount the Company is entitled to claim from the Buyer) but the Company will not be liable to compensate the Buyer for any further loss or damage caused by the failure to deliver the Goods or perform the Services.

#### 14. SALES PROMOTION DOCUMENTATION

Whilst the Company takes every precaution in the preparation of its catalogue, technical circulars, price lists and its other literature, these documents are for the Buyer's general guidance only and the particulars contained therein shall not constitute representations by the Company and the Company shall not be bound thereby

#### 15. NOTICES

Any notice to be given hereunder shall be in writing and shall be deemed to have been duly given if sent or delivered to the party concerned at its address specified overleaf or such other address as that party may from time to time notify in writing and shall be deemed to have been served, if sent by bost, 48 hours after

#### 16 CANCELLATION

The Company is prepared to accept the cancellation of a contract provided that it is in writing and is received by the Company:
(a) In the case of special orders before the manufacture of the goods has commenced:

(b) In the case of goods ordered from stock before the goods have been despatched.

(c) But subject to liability for any losses incurred by the Company in disposing of the goods.

(d) In the event goods have been delivered within 30 days prior to cancellation, a restocking charge of 20% of the goods returned will be made by the company on values above £50 before VAT only.

#### 17. MATCHING

For technical reasons it is not always possible to obtain an exact colour match between different production batches which have the same colour description. The Company therefore recommends that all products should be of the same batch. The Company will be under no liability whatsoever in respect of any mismatching of tiles and sheet with the same colour description where the tiles and sheet are of different batches.

(a) Without prejudice to any of the Company's rights under these terms or common law or statute the Company shall not be liable for any loss or damage suffered by the Buyer or any third party as result of failure to follow any of the Company's recommendations with regard to the goods.

Where Stiletto heeled shoes are in use, floors are liable to suffer damage from intense point loading pressure. We therefore cannot be held responsible for any loss in appearance where such heels

#### 20. SUITABILITY OF GOODS

If requested in writing to do so, we will use our utmost endeavours to give sound and honest advice as to the suitability of goods sold by us for a particular use or purpose, but we do not represent or warrant (and nobody has authority to represent or warrant) the fitness of any goods for any particular purpose or use, whether such use or purpose is known to us or not or any advice requested regarding installation.

#### 21. ASSIGNMENT

The Buyer shall not assign or purport to assign or transfer the contract or the benefits thereof to any other person without prior written consent of the other.

#### 22. PROPER LAW AND JURISDICTION

The Contract shall be governed by and construed in accordance with English law and all disputes arising in connection with the contract shall be submitted to the jurisdiction of the English

#### 23. HEADINGS

The headings of these conditions are for convenience only and shall have no effect on the interpretation thereof.

Revision Date: September 2020 Woodpecker Flooring, Caerphilly CF83 8DR Tel: 02920 888223

Woodpecker Flooring reserves the right to update and amend these terms and conditions without notice

#### PHOTOGRAPHY PROP CREDITS

(Harlech, Feather Oak) Rustic bench – www.thefigstore.com

(Design Panels, Sandringham Royal Oak)
Painting – www.gallerybr.co.uk

(Design Panels, Sandringham Aged Oak)
Paintings – danhobday.com

(Goodrich, Smoked Oak)
Paintings, olive oil jars, wire basket – www.annefowler.co.uk

School chairs – www.lowlandsbristol.com
(Goodrich, Natural Oak)

(Goodrich, Smoked Oak)

Sheepskin footstool – www.gallerybr.co.uk

(Goodrich, Biscotti Oak)

Robin Day sideboard – www.orangeandbrown.co.uk

(Berkeley, Calico Oak) Art work, Wooden African bowl – www.huttdecor.com

(Berkeley, Charterhouse Oak) Wooden bowls – www.huttdecor.com Pit fired vessels, lamp base – www.thecorn<u>ishpotter.com</u>

(Goodrich, Ecru Oak) Art work – www.huttdecor.com Pots, plates, bowls – www.lilyantiques.co.uk

(Goodrich, Raw Oak Chevron) Art work by Masako Tobita – www.cliftoncontemporaryart.co.uk

(Harlech, Rustic Oak)
Glass, perspex coffee table – www.huttdecor.com

(Highclere, Biscotti Oak) Rustic bench – www.huttdecor.com

(Highclere, Natural Oak) Suede sofa – www.huttdecor.com (Design Panels, Highgrove Limed Oak)
Calvados bottles – www.annefowler.co.uk

(York, Rustic Oak)
Art work by Andrew Bird – www.cliftoncontemporaryart.co.uk

(Harlech, Ecru Oak) & (Goodrich, Spiced Oak) Radiators – www.reclaimedradiators.co.uk

(Dartmouth Beaten Oak) <u>Luna metal vase, Wall art -</u> Eternity, Form of Line - www.boconcept.com

(Goodrich White Oiled Oak) Sweet Art Candlestick and Bowl - www.boconcept.com

(Stonehaven Strait Oak) Woodburner stove - www.periodfireplaces.co.uk

(Stonehaven Brook Oak)

<u>Mid Century</u> Table lamp - www.modernantiques.com

(Stonehaven Amaretti Oak)

Candle Holder - www.boconcept.com

(Orkney Passage Oak) Charlotte chairs, Ribbon vase - www.boconcept.com

(Orkney Truffle Oak) Ribbon vase, Parasol bowl - www.boconcept.com

(Orkney Smoked Oak) Luna Metal Vase, Repose cushion - www.boconcept.com

(Dartmouth Pewter Oak)
Fireplace and hearth - www.periodfireplaces.co.uk

(Dartmouth Gingersnap Oak)
Demi Lune console table (One of a pair). - www.modernantiques.com

(Dartmouth Smoked Oak) Burly Vase - www.boconcept.com

(Bourton Prime Natural Oak Herringbone) Block Mirror Side table - www.boconcept.com

PLEASE HELP US CARE FOR THE ENVIRONMENT BY SHARING OR RECYCLING THIS WHEN YOU ARE DONE



## WOODPECKER

NATURALLY INSPIRED FLOORING

Woodpecker House, 26 Pant Glas Industrial Estate, Bedwas, Caerphilly CF83 8DR

**T**: 02920 888 223 **F**: 02920 881 694

info@woodpeckerflooring.co.uk www.woodpeckerflooring.co.uk Woodpecker Flooring 1436 South Director St. Seattle WA 98108

T: 206 929-5029

www.woodpeckerflooring.com

For the latest and up to date information, scan below.









